ANALOG Product/Process Change Notice - PCN 15_0043 Rev. -

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. Any inquiries or requests with this PCN (additional data or samples) must be sent to ADI within 30 days of publication date. ADI contact information is listed below.

PCN Title:	Removal of Production Burn-In for AD5535B Product		
Publication Date:	09-Mar-2015		
Effectivity Date:	07-Jun-2015 (the earliest date that a customer could expect to receive changed material)		

Revision Description:

Initial Release

Description Of Change

Eliminate 48 hour burn-in after 25C test as per flow in attached slides.

Reason For Change

Optimise the test flow and reduce cycle time.

Impact of the change (positive or negative) on fit, form, function & reliability

There will be no change to the fit, form function & reliability of AD5535B.

Product Identification (this section will describe how to identify the changed material)

The change over date code will be advised on a future revision of this PCN

Summary of Supporting Information

Slides attached illustrate that there was no drift through burn-in and no burn-in rejects generated.

Supporting Documents

Attachment 1: Type: Other

ADI_PCN_15_0043_Rev_-_AD5535B_Burnin_Analysis.pdf

For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.

Americas:	PCN_Americas@analog.com	Europe:	PCN_Europe@analog.com	Japan:	PCN_Japan@analog.com
				Rest of Asia:	PCN_ROA@analog.com

Appendix A - Affected ADI Models				
Added Parts On This Revision - Product Family / Model Number (2)				
AD5535B / AD5535BKBC	AD5535B / AD5535BKBCZ			

Appendix B - Revision History				
Rev	Publish Date	Effectivity Date	Rev Description	
Rev	09-Mar-2015	07-Jun-2015	Initial Release	

Analog Devices, Inc.

Docld:3213 Parent Docld:None Layout Rev:7