


MATERIAL NUMBER	OLD PART NUMBER	FINISHED LENGTH
1300330003	DNDC304-M005	.5M +44.5mm -0 [1.6FT +1.7IN -0]



SPECIFICATIONS:

CABLE: #22/4 CABLE + DRAIN
 PVC GRAY
 ELECTRICAL: 250 VOLTS 4 AMPS
 PROTECTION IP20
 ENVIRONMENTAL: -20°C TO +80°C

DNDC304-M005

cable type
 DeviceNet
 DROP

cable length
 M005 --- .5 Meters
 M010 ----1 Meters
 M100 ---10Meters

WIRING DIAGRAM

MALE		FEMALE	
1	DRAIN	3	
2	RED	5	
3	BLACK	1	
4	WHITE	4	
5	BLUE	2	

LABEL	MYLAR	YELLOW
PANEL NUT	BRASS	NICKEL PLATED
PANEL O-RING	NITRILE	BLACK
MALE RECEPTACLE SHELL	BRASS	NICKEL PLATING
MALE INSERT	NYLON	BLACK
PIN CONTACT	COPPER ALLOY	GOLD PLATING
D-NET OPEN CONNECTOR	POLYAMIDE	GRAY
SOCKET CONTACT	COPPER ALLOY	GOLD PLATING
#22/4 CABLE + DRAIN	PVC JACKET	GRAY
DESCRIPTION	MATERIAL	FINISH

EC NO: ICG2014-0517 DRWN: GGUSTAFS 2013/09/12 CH'KD: BARDEN APPR: BWOODMAN2013/10/16 REV	QUALITY SYMBOL	GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ±--- ±--- 3 PLACES ±--- ±.020 2 PLACES ±0.25 ±.010 1 PLACE ±0.13 ±.005 ANGULAR ±.5° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION MIC CORDSET TO RCPT 5P FE ST TO MA BPM #22/4 + DRAIN PVC CABLE MOLEX INCORPORATED SD-130033-001 SHEET NO. 1 OF 1
	▽=0		IN/MM	NTS	INCH	
	∇=0		DRAWN BY DATE	TITLE		
			GGUSTAFS 2013/09/12	MIC CORDSET TO RCPT 5P FE ST TO MA BPM #22/4 + DRAIN PVC CABLE		
			CHECKED BY DATE			
			BARDEN 2013/09/24			
			APPROVED BY DATE			
			BWOODMAN 2013/10/16			
			MATERIAL NO.			
			SEE CHART			
			SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		