		Contact Detail Wire Wrap .046x.013(1.17x0.33) - Tail LG=.708(17.98) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing	THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER		ISSUE NUMBI ORIGINAL	
0.500[12.70]	0.156[3.96]	6.404[162.66] ———————————————————————————————————		SECT	(ION A-	Α
	A					
0.473[12.01]	A I I I I I I I I I I I I I I I I I I I	EDRG	(F	75 [4.45] Point of Contact ROM BTM OF SLOT) Slot Accepts .054 [1.37] ) [1.78] Thick P.C. Board		_
O		Part Number: 3	Edge Connector	ACAD REFERENCE NO. DRAWN: J.LEE	307 ENG	G MASTER G. 11/09
See Accompanying Pages for:  Contact Bend Details  Mounting Options		for:	U/-U4U-44U-1/U	CHECKED:	DATE:	
			EDAC INC ORONTO, ONTARIO  THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED	SCALE: NTS  DRAWING NUMBER	SHEET 1	OF 3
		YOUR CONNECTION TO QU	CANADA OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	307 Assembly		1



