MATERIAL SAFETY 3M DATA SHEET 3M Center St. Paul, Minnesota 55144-1000 1-800-364-3577 or (651) 737-6501 (24 hours) Copyright, 2001, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and 2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon. DIVISION: INDUSTRIAL TAPE AND SPECIALTIES DIVISION TRADE NAME: 3M (tm) 4726 CLOSED CELL VINYL FOAM TAPE. ID NUMBER/U.P.C.: 70-0000-7360-4 00-21200-94596-0 70-0060-9516-3 00-51131-06477-5 70-0060-9517-1 00-51131-06478-2 70-0060-9518-9 00-51131-06479-9 70-0160-3500-1 00-21200-67167-8 ISSUED: April 12, 2001 SUPERSEDES: April 03, 2001 DOCUMENT: 08-9590-4 _____ C.A.S. NO. PERCENT 1. INGREDIENT _____ FOAM BACKING..... None 65 - 75 - 25 ACRYLATE ADHESIVE..... TradeSecret 5 - 15 CARBON BLACK..... 1333-86-4 < 0.5 The components of this product are in compliance with the chemical notification requirements of TSCA. 2. PHYSICAL DATA _____ BOILING POINT: N/A VAPOR PRESSURE: N/A VAPOR DENSITY: N/A EVAPORATION RATE: N/A SOLUBILITY IN WATER:..... N/A SPECIFIC GRAVITY:..... N/A PERCENT VOLATILE:..... N/D pH:.....N/A VISCOSITY:..... N/A MELTING POINT:..... N/D APPEARANCE AND ODOR: Roll of Tape, black vinyl foam. _____ Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M (tm) 4726 CLOSED CELL VINYL FOAM TAPE. April 12, 2001 PAGE 2 _____ 3. FIRE AND EXPLOSION HAZARD DATA _____ FLASH POINT:..... N/A FLAMMABLE LIMITS - LEL:..... N/A FLAMMABLE LIMITS - UEL:..... N/A AUTOIGNITION TEMPERATURE:..... N/D EXTINGUISHING MEDIA: Water spray, Carbon dioxide, Dry chemical, Foam SPECIAL FIRE FIGHTING PROCEDURES: Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head. UNUSUAL FIRE AND EXPLOSION HAZARDS: No unusual fire or explosion hazards are anticipated. NFPA HAZARD CODES: HEALTH: 0 FIRE: 1 REACTIVITY: 0 UNUSUAL REACTION HAZARD: none OSHA FIRE HAZARD CLASS: Not applicable _____ 4. REACTIVITY DATA _____ STABILITY: Stable INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID: None known. HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur. HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide and Carbon Dioxide. _____ 5. ENVIRONMENTAL INFORMATION _____ SPILL RESPONSE: Observe precautions from other sections. Collect spilled material. Place in a closed container. RECOMMENDED DISPOSAL: Incinerate in an industrial or commercial facility in the presence of a combustible material. _____

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M (tm) 4726 CLOSED CELL VINYL FOAM TAPE. April 12, 2001 PAGE 3 _____ 5. ENVIRONMENTAL INFORMATION (continued) _____ ENVIRONMENTAL DATA: Not determined. **REGULATORY INFORMATION:** Volatile Organic Compounds: N/D. VOC Less H2O & Exempt Solvents: N/A. Since regulations vary, consult applicable regulations or authorities before disposal. U.S. EPA Hazardous Waste Number = None (Not U.S. EPA Hazardous). EPCRA HAZARD CLASS: FIRE HAZARD: NO PRESSURE: NO REACTIVITY: NO ACUTE: NO CHRONIC: NO _____ 6. SUGGESTED FIRST AID _____ EYE CONTACT: No need for first aid is anticipated. SKIN CONTACT: No need for first aid is anticipated. INHALATION: If signs/symptoms occur, remove person to fresh air. If signs/symptoms continue, call a physician. IF SWALLOWED: No need for first aid is anticipated. _____ 7. PRECAUTIONARY INFORMATION _____ _____ EYE PROTECTION: Avoid eye contact. SKIN PROTECTION: Avoid prolonged or repeated skin contact. RECOMMENDED VENTILATION: Use with appropriate local exhaust ventilation. Use with adequate dilution ventilation. RESPIRATORY PROTECTION: Avoid breathing of thermal decomposition products. _____

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M (tm) 4726 CLOSED CELL VINYL FOAM TAPE. April 12, 2001 PAGE 4

_____ 7. PRECAUTIONARY INFORMATION (continued)

PREVENTION OF ACCIDENTAL INGESTION: Wash hands after handling and before eating. Do not ingest.

RECOMMENDED STORAGE: Store in a cool place. Store out of direct sunlight.

FIRE AND EXPLOSION AVOIDANCE: Keep away from heat, sparks, open flame, and other sources of ignition.

HMIS HAZARD RATINGS: HEALTH: 0 FLAMMABILITY: 0 REACTIVITY: 0 PERSONAL PROTECTION: A

EXPOSURE LIMITS

INGREDIENT	VALUE		TYPE	AUTH SKIN*
FOAM BACKING RELEASE LINER ACRYLATE ADHESIVE CARBON BLACK CARBON BLACK CARBON BLACK	NONE NONE 3.5 3.5 0.5	NONE NONE NONE MG/M3 MG/M3 MG/M3	NONE NONE NONE TWA TWA TWA	NONE NONE NONE ACGIH OSHA CMRG

* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- ACGIH: American Conference of Governmental Industrial Hygienists
- CMRG: Chemical Manufacturer Recommended Exposure Guidelines OSHA: Occupational Safety and Health Administration

- NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT:

Eye contact is not expected to occur during normal use of the product.

No adverse health effects are expected from eye contact.

SKIN CONTACT:

No adverse health effects are expected from skin contact.

Contact with the skin during product use is not expected to result in _____ Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M (tm) 4726 CLOSED CELL VINYL FOAM TAPE. PAGE 5 April 12, 2001 _____ 8. HEALTH HAZARD DATA (continued) _____ significant irritation. INHALATION: This product may have a characteristic odor; however, no adverse health effects are anticipated. Health effects from inhalation are not expected unless the product is over heated and decomposition occurs. If thermal decomposition occurs: Irritation (upper respiratory): signs/symptoms can include soreness of the nose and throat, coughing and sneezing. IF SWALLOWED: Ingestion is not a likely route of exposure to this product. No adverse health effects are expected from swallowing. CANCER: WHILE THE FOLLOWING EFFECTS ARE ASSOCIATED WITH ONE OR MORE OF THE INDIVIDUAL INGREDIENTS IN THIS PRODUCT AND ARE REQUIRED TO BE INCLUDED ON THE MSDS BY THE U.S. OSHA HAZARD COMMUNICATION STANDARD, THEY ARE NOT EXPECTED EFFECTS DURING FORESEEABLE USE OF THIS PRODUCT. WARNING: Contains a chemical which can cause cancer. (1333-86-4) (IARC possible human carcinogen 2B) _____ SECTION CHANGE DATES _____ HEADING SECTION CHANGED SINCE April 03, 2001 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: 3M (tm) 4726 CLOSED CELL VINYL FOAM TAPE. April 12, 2001

PAGE 6

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.