

## **Specification Sheet**

Part Number: 596-00244

Made with UV-stable inks and materials for durability and weather

resistance.

Reflective properties to meet applicable NEC code requirements for

reflective identification.

Supplied with an aggressive adhesive to ensure long life.

Meets NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.



Solar Label, Reflective, DO NOT DISCONNECT UNDER LOAD, 6.5" x 1.0", VL, Red, 50/roll

Article Number 596-00244

Type DNDCUL

Color Red (RD)

Quantity Per roll

Product Description HellermannTyton Pre-Printed Solar Installation Labels are designed to

meet the requirements of the National Electrical Code® (NEC®) and the International Fire Code (IFC) as well as being acceptable to the Authority Having Jurisdiction (AHJ). Labels are made with durable UV-stable materials and adhesives that are designed to stick to both baked enamel and powder-coated surfaces. Where applicable, labels are made using reflective materials for first responder safety. Some pre-printed labels are printable using a thermal transfer printer when variable voltage or series data must be printed and displayed.

Short Description	Solar Label, Reflective, DO NOT DISCONNECT UNDER LOAD, 6.5" x 1.0", VL, Red, 50/roll
Global Part Name	DNDCUL-505/281-RD
Local Order Number 2	Cross Reference = 10 per pack: 596-00671
Width W (Imperial)	6.5
Width W (Metric)	165.1
Thickness T (Imperial)	0.0025
Thickness T (Metric)	64.0
Height H (Imperial)	1.0
Height H (Metric)	25.40
Material	Type 505/281, UV-stabilised, reflective vinyl with clear polyester laminate (505/281)
Material Shortcut	505/281
Adhesive	Acrylic
Halogen Free	No

Yes

UV Resistant (Yes/No)

-40°F to +302°F (-40°C to +150°C)
-40°F to +174°F (-40°C to +79°C)
Yes
Yes
IFC 2012 NEC2011 NEC2017 UL 969
Yes
Yes
50
50

3919102055

1

1

## About HellermannTyton

**Customs Number** 

Labels per Column

Labels per Row

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (<a href="https://www.hellermann.tyton.com">www.hellermann.tyton.com</a>).

© 2023 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions