

**Contact Detail:** 542-Wire Wrap .050x.024(1.27x0.61) - Tail LG.=.790(20.07)







## **Features**

- **UL** Recognized
- .150 (3.81) Contact Spacing x .130 (3.30) or .150 (3.81) Row Spacing with Staggered Grid
- Plug and Receptacle in 14 or 36 Contact Sizes
- Edacon Hermaphroditic Contact Mating Design
- Contact Termination Options Include: Crimp, P.C. Tail, Wire Hole and Wire Wrap
- Mating and Unmating Simplified with use of Actuating Screws
- Optional Covers with Side or Top Entry Cable Clamp in Plastic or Metal Material Available for All Connector Sizes
- Versatile Metal Cover Design Permits Assembly and Disassembly after Cabling is Complete plus Cable Entry Style Flexibility
- Actuating Screws, Locknuts, Polarizing Hardware, Covers and Contacts Suitable for either Plug or Receptacle
- Polarizing Hardware Adjustable for 288 Mating Combinations
- Tools Available for Contact Installation, Removal and Crimping and Polarizing Changes

## **Specifications**

- Insulator Material:Polycarbonate, Colour: Grev
- Contact Material: Phosphor Bronze Alloy CA-510
- Contact Plating: Gold over Nickel for Entire Contact
- Cover Material: Polycarbonate, Colour: Green, or Die-
- Cast Zinc, Finished with Grey Enamel Paint
- Current Rating: 8.5 Amperes
- Contact Resistance: 10 Milliohms Maximum
- Dielectric Withstanding Voltage: 2000 V AC rms at Sea Level
- Insulation Resistance: 5000 Megohms Minimum
- Operating Temperature: -65 to +125 Degrees C
- Insertion and Withdrawal Force: 2 to 16 oz (0.56 to 4.45 N) per Contact Position

## See Accompanying Pages for:

- PC Tail Layout
- Cutout Panel Details
- Cover Details

519 Assembly Part Number: 519-036-542-431

YOUR CONNECTION TO QUALITY & SERVICE

DATE: JUNE 18, 2009 J.LEE 1:1 SHEET 1 OF 4

519 Assembly

ACAD REFERENCE NO. 519 Assembly

ORIGINAL





**14 Pin** P.C. Tail Layout



519 Assembly
P.C. Tail Layout Details

ACAD REFERENCE NO. 519 Assembly

DRAWN: J.LEE DATE: JUNE 18, 2009

CHECKED: DATE:

DATE: JUNE 18, 2009

CHECKED: DATE:

TORROW TO BE DATE: SHEET 2 OF 4

**36 Pin** P.C. Tail Layout

CANADA

YOUR CONNECTION TO QUALITY & SERVICE

THESE DRAWINGS AND SPECIFICATIONS
ARE THE PROPERTY OF EDAC INC.,AND
SHALL NOT BE REPRODUCED,OR COPIED
OR USED AS THE BASIS FOR THE
MANUFACTURE OR SALE OF APPARATUS
WITHOUT WRITTEN PERMISSION.

RAWING NUMBER ISSUE
519 Assembly 1

THIS IS A C.A.D. GENERATED DRAWING
DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

ORIGINAL



|        | Dimension A  | Dimension B   | Dimension C   | Dimension D   | Dimension E   | Dimension F  | Dimension G    |
|--------|--------------|---------------|---------------|---------------|---------------|--------------|----------------|
| 14 Pin | 0.104 [2.64] | 0.640 [16.26] | 0.410 [10.41] | 0.960 [24.38] | 1.126 [28.60] | 1.32 [33.53] | R0.130 [R3.30] |
| 36 Pin | 0.136 [3.45] | 0.816 [20.73] | 0.468 [11.89] | 1.420 [36.07] | 1.688 [42.88] | 1.96 [49.78] | R0.130 [R3.30] |

| 519 Assembly                         | ACAD REFERENCE NO. 519 Assembly  |                |                     |        |  |
|--------------------------------------|--|----------------|---------------------|--------|--|
| ,                                    | DRAWN: J.LEE   | DATE: JUI      | DATE: JUNE 18, 2009 |        |  |
| Cut-Out Panel Detail                 | CHECKED:   | DATE:          | DATE:               |        |  |
| EDAC INC                             | THESE DRAWINGS AND SPECIFICATIONS  | SCALE:         | SHEET               | 3 OF 4 |  |
|                                      | ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER | •                   | ISSUE  |  |
| YOUR CONNECTION TO QUALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS   | 519 Assembly   |                     | 1      |  |



| Cover for<br>Connector | Cover<br>Material | Clamp<br>Size | "A"           | "B"           | "C"           | "D"           | "E"           | "F"           | "G"           |
|------------------------|-------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| 14 Pin                 | Plastic           | Standard      | 1.605 (40.77) | 1.325 (33.66) | 0.906 (23.01) | 1.190 (30.23) | 0.715 (18.16) | 0.450 (11.43) | 0.450 (11.43) |
| 14 Pin                 | Metal             | Standard      | 1.539 (39.09) | 1.325 (33.66) | 0.906 (23.01) | 1.120 (28.45) | 0.686 (17.42) | 0.446 (11.33) | 0.490 (12.45) |
| 36 Pin                 | Plastic           | Standard      | 2.460 (62.48) | 2.010 (51.05) | 1.530 (38.86) | 1.985 (50.42) | 0.910 (23.11) | 0.650 (16.51) | 0.500 (12.70) |
| 36 Pin                 | Plastic           | Large         | 2.460 (62.48) | 2.010 (51.05) | 1.530 (38.86) | 1.985 (50.42) | 1.110 (28.19) | 0.650 (16.51) | 0.608 (15.44) |
| 36 Pin                 | Metal             | Standard      | 2.206 (56.03) | 2.006 (50.95) | 1.566 (39.78) | 1.766 (44.86) | 0.875 (22.23) | 0.720 (18.29) | 0.575 (14.61) |

| 519 Assem            | ACAD REFERENCE NO. 519 Assembly |   |           |        |                            |        |  |
|----------------------|---------------------------------|---|-----------|--------|----------------------------|--------|--|
| Cut-Out Panel Detail |                                 |   | DRAWN:    | J.LEE  | DATE: <b>JUNE 18, 2009</b> |        |  |
|                      |                                 |   | CHECKED:  |        | DATE:                      |        |  |
|                      | EDAC INC                        | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE:    |        | SHEET .                    | 4 OF 4 |  |
| TORONTO, ONTARIO     |                                 | SHALL NOT BE REPRODUCED,OR COPIED  OR USED AS THE BASIS FOR THE   | DRAWING 1 | NUMBER |                            | ISSUE  |  |
| YOUR CONNECTION      | CANADA<br>TO QUALITY & SERVICE  | MANUFACTURE OR SALE OF APPARATUS                                  | 519 Ass   | sembly |                            | 1      |  |