



















- 1 
- 2 
- 3 
- 4 
- 5 
- 6 
- 7 
- 8 
- 9 
- 10 
- 11 
- 12 
- 13 
- 14 
- 15 
- 16 
- 17 
- 18 

**LEVER BODY**

Glass-fibre reinforced polyamide based (PA) technopolymer, grey-black colour, matte finish.

**PUSH BUTTON**

Technopolymer in Ergostyle colours, glossy finish.

**STANDARD EXECUTIONS**

Glass-fibre reinforced technopolymer clamping element with retaining pin, black colour, with knurling on the protruding part to make initial tightening easier. AISI 302 stainless steel return spring.

- **ERX-B:** brass boss, threaded blind hole.
- **ERX-SST:** AISI 303 stainless steel boss, threaded blind hole.
- **ERX-p:** zinc-plated steel threaded stud, chamfered flat end UNI 947 : ISO 4753 (see Technical data on page A-11).
- **ERX-SST-p:** AISI 303 stainless steel threaded stud, chamfered flat end UNI 947 : ISO 4753 (see Technical data on page A-11).

**FEATURES AND APPLICATIONS**

Particularly suitable when the lever turning angle is limited owing to lack of space.

Compared to other types of adjustable handles with metal retaining screw this solution offers:

- absolute electric insulation for the operator
- no visible steel parts subject to rust
- more comfortable lever release.

**STRESS RESISTANCE**

Adjustable handles are generally used for repetitive clamping operations sometimes with very high-frequency.

Therefore, the stress resistance (i.e. the resistance to repeated tightening cycles) of the handle unit is particularly important and, especially, the strength of the toothed element which transmits the tightening force from the handle to the threaded element (boss or stud).

In fact, the results of several laboratory tests, performed with a special instrument that simulates the most severe use conditions, have shown that e.g. ERX.78 adjustable handle can withstand without yielding more than 100,000 tightening cycles, under the action of a force of 490 N (see graphic).


The special glass-fibre reinforced technopolymer enables the ELESAs adjustable handles to guarantee stress resistance values which are much higher than the ones generated under normal working conditions.

**OTHER EXECUTIONS AVAILABLE**


Lever body in orange (C2) with black push button (C1).  
Example: code 233061-C2-C1 description ERX.30-C2-B-M3-C1.


**INSTRUCTIONS OF USE**

For clamping, lift the lever to disengage the clamping device teeth and bring it back to start position. By releasing the lever, the return spring automatically engages the teeth.




NUMBER OF TIGHTENINGS





ERX-B  
ERX-SST



**Conversion Table**  
1 mm = 0.039 inch

| R   |      |
|-----|------|
| mm  | inch |
| 30  | 1.18 |
| 44  | 1.73 |
| 63  | 2.48 |
| 78  | 3.07 |
| 95  | 3.74 |
| 108 | 4.25 |



\*Complete with colour index, example: 233061-C2 ERX.30 B-M3-C2

|         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|
| C1      | C2      | C3      | C4      | C5      | C6      | C17     |
| RAL7021 | RAL2004 | RAL7035 | RAL1021 | RAL5024 | RAL3000 | RAL6017 |

METRIC

ERX-B

| Code     | Description     | R   | d6H | L    | D  | H    | H1   | h  | h1   | h2 | h3   | d1   | l1   | Teeth no. | ⚖  |
|----------|-----------------|-----|-----|------|----|------|------|----|------|----|------|------|------|-----------|----|
| 233061-* | ERX.30 B-M3-*   | 30  | M3  | 37.5 | 15 | 30   | 33.5 | 6  | 29.5 | 6  | 23   | 12   | 9    | 18        | 8  |
| 233066-* | ERX.30 B-M4-*   | 30  | M4  | 37.5 | 15 | 30   | 33.5 | 10 | 29.5 | 6  | 23   | 12   | 9    | 18        | 8  |
| 233071-* | ERX.30 B-M5-*   | 30  | M5  | 37.5 | 15 | 30   | 33.5 | 10 | 29.5 | 6  | 23   | 12   | 9    | 18        | 7  |
| 233076-* | ERX.30 B-M6-*   | 30  | M6  | 37.5 | 15 | 30   | 33.5 | 10 | 29.5 | 6  | 23   | 12   | 9    | 18        | 6  |
| 233101-* | ERX.44 B-M5-*   | 44  | M5  | 52   | 16 | 32.5 | 36   | 10 | 29.5 | 6  | 25   | 12   | 11   | 18        | 10 |
| 233106-* | ERX.44 B-M6-*   | 44  | M6  | 52   | 16 | 32.5 | 36   | 10 | 29.5 | 6  | 25   | 12   | 11   | 18        | 10 |
| 233131-* | ERX.63 B-M6-*   | 63  | M6  | 72.5 | 19 | 43   | 47   | 16 | 37.5 | 8  | 34.5 | 15   | 13.5 | 20        | 21 |
| 233136-* | ERX.63 B-M8-*   | 63  | M8  | 72.5 | 19 | 43   | 47   | 13 | 37.5 | 8  | 34.5 | 15   | 13.5 | 20        | 20 |
| 233141-* | ERX.63 B-M10-*  | 63  | M10 | 72.5 | 19 | 43   | 47   | 13 | 37.5 | 8  | 34.5 | 15   | 13.5 | 20        | 19 |
| 233151-* | ERX.78 B-M8-*   | 78  | M8  | 89.5 | 23 | 54   | 58   | 20 | 47   | 12 | 44   | 19   | 16   | 24        | 46 |
| 233156-* | ERX.78 B-M10-*  | 78  | M10 | 89.5 | 23 | 54   | 58   | 18 | 47   | 12 | 44   | 19   | 16   | 24        | 44 |
| 233161-* | ERX.78 B-M12-*  | 78  | M12 | 89.5 | 23 | 54   | 58   | 17 | 47   | 12 | 44   | 19   | 16   | 24        | 43 |
| 233171-* | ERX.95 B-M10-*  | 95  | M10 | 108  | 26 | 64.5 | 69   | 20 | 54.5 | 13 | 53   | 21.5 | 18   | 26        | 52 |
| 233176-* | ERX.95 B-M12-*  | 95  | M12 | 108  | 26 | 64.5 | 69   | 20 | 54.5 | 13 | 53   | 21.5 | 18   | 26        | 51 |
| 233181-* | ERX.95 B-M14-*  | 95  | M14 | 108  | 26 | 64.5 | 69   | 20 | 54.5 | 13 | 53   | 21.5 | 18   | 26        | 50 |
| 233211-* | ERX.108 B-M12-* | 108 | M12 | 123  | 30 | 65.5 | 70   | 20 | 54.5 | 11 | 52.5 | 25   | 20   | 28        | 60 |
| 233216-* | ERX.108 B-M14-* | 108 | M14 | 123  | 30 | 65.5 | 70   | 20 | 54.5 | 11 | 52.5 | 25   | 20   | 28        | 59 |
| 233221-* | ERX.108 B-M16-* | 108 | M16 | 123  | 30 | 65.5 | 70   | 22 | 54.5 | 11 | 52.5 | 25   | 20   | 28        | 58 |


ERX-SST

INOX STAINLESS STEEL METRIC

| Code     | Description       | R   | d6H | L    | D  | H    | H1   | h  | h1   | h2 | h3   | d1   | l1   | Teeth no. | ⚖  |
|----------|-------------------|-----|-----|------|----|------|------|----|------|----|------|------|------|-----------|----|
| 235069-* | ERX.30 SST-M3-*   | 30  | M3  | 37.5 | 15 | 30   | 33.5 | 6  | 29.5 | 6  | 23   | 12   | 9    | 18        | 8  |
| 235070-* | ERX.30 SST-M4-*   | 30  | M4  | 37.5 | 15 | 30   | 33.5 | 10 | 29.5 | 6  | 23   | 12   | 9    | 18        | 8  |
| 235071-* | ERX.30 SST-M5-*   | 30  | M5  | 37.5 | 15 | 30   | 33.5 | 6  | 29.5 | 6  | 23   | 12   | 9    | 18        | 8  |
| 235076-* | ERX.30 SST-M6-*   | 30  | M6  | 37.5 | 15 | 30   | 33.5 | 10 | 29.5 | 6  | 23   | 12   | 9    | 18        | 6  |
| 235101-* | ERX.44 SST-M5-*   | 44  | M5  | 52   | 16 | 32.5 | 36   | 6  | 29.5 | 6  | 25   | 12   | 11   | 18        | 11 |
| 235106-* | ERX.44 SST-M6-*   | 44  | M6  | 52   | 16 | 32.5 | 36   | 10 | 29.5 | 6  | 25   | 12   | 11   | 18        | 10 |
| 235131-* | ERX.63 SST-M6-*   | 63  | M6  | 72.5 | 19 | 43   | 47   | 12 | 37.5 | 8  | 34.5 | 15   | 13.5 | 20        | 22 |
| 235136-* | ERX.63 SST-M8-*   | 63  | M8  | 72.5 | 19 | 43   | 47   | 13 | 37.5 | 8  | 34.5 | 15   | 13.5 | 20        | 20 |
| 235151-* | ERX.78 SST-M8-*   | 78  | M8  | 89.5 | 23 | 54   | 58   | 13 | 47   | 12 | 44   | 19   | 16   | 24        | 46 |
| 235156-* | ERX.78 SST-M10-*  | 78  | M10 | 89.5 | 23 | 54   | 58   | 17 | 47   | 12 | 44   | 19   | 16   | 24        | 44 |
| 235176-* | ERX.95 SST-M12-*  | 95  | M12 | 108  | 26 | 64.5 | 69   | 20 | 54.5 | 13 | 53   | 21.5 | 18   | 26        | 52 |
| 235191-* | ERX.108 SST-M12-* | 108 | M12 | 123  | 30 | 65.5 | 70   | 20 | 54.5 | 11 | 52.5 | 25   | 20   | 28        | 60 |

Clamping handles

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18



**Conversion Table**  
1 mm = 0.039 inch

| mm  | inch |
|-----|------|
| 30  | 1.18 |
| 44  | 1.73 |
| 63  | 2.48 |
| 78  | 3.07 |
| 95  | 3.74 |
| 108 | 4.25 |

\* Complete with colour index, example: 234001-C2 ERX.30 p-M5x10-C2

RAL7021 **C1**
RAL2004 **C2**
RAL7035 **C3**
RAL1021 **C4**
RAL5024 **C5**
RAL3000 **C6**
RAL6017 **C17**

**METRIC**

**ERX-p**

| Code     | Description       | R  | d6g | L    | D  | H    | H1   | h1   | h2 | h3   | d1 | I  | I1   | Teeth no. |    |
|----------|-------------------|----|-----|------|----|------|------|------|----|------|----|----|------|-----------|----|
| 234001.* | ERX.30 p-M5x10.*  | 30 | M5  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23   | 12 | 10 | 9    | 18        | 6  |
| 234006.* | ERX.30 p-M5x16.*  | 30 | M5  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23   | 12 | 16 | 9    | 18        | 6  |
| 234011.* | ERX.30 p-M5x20.*  | 30 | M5  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23   | 12 | 20 | 9    | 18        | 7  |
| 234016.* | ERX.30 p-M6x10.*  | 30 | M6  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23   | 12 | 10 | 9    | 18        | 8  |
| 234021.* | ERX.30 p-M6x16.*  | 30 | M6  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23   | 12 | 16 | 9    | 18        | 9  |
| 234026.* | ERX.30 p-M6x20.*  | 30 | M6  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23   | 12 | 20 | 9    | 18        | 10 |
| 234031.* | ERX.30 p-M6x25.*  | 30 | M6  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23   | 12 | 25 | 9    | 18        | 11 |
| 234036.* | ERX.30 p-M6x30.*  | 30 | M6  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23   | 12 | 30 | 9    | 18        | 12 |
| 234046.* | ERX.30 p-M6x40.*  | 30 | M6  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23   | 12 | 40 | 9    | 18        | 14 |
| 234101.* | ERX.44 p-M5x10.*  | 44 | M5  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25   | 12 | 10 | 11   | 18        | 11 |
| 234106.* | ERX.44 p-M5x16.*  | 44 | M5  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25   | 12 | 16 | 11   | 18        | 12 |
| 234111.* | ERX.44 p-M5x20.*  | 44 | M5  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25   | 12 | 20 | 11   | 18        | 13 |
| 234116.* | ERX.44 p-M6x10.*  | 44 | M6  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25   | 12 | 10 | 11   | 18        | 13 |
| 234121.* | ERX.44 p-M6x16.*  | 44 | M6  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25   | 12 | 16 | 11   | 18        | 14 |
| 234126.* | ERX.44 p-M6x20.*  | 44 | M6  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25   | 12 | 20 | 11   | 18        | 15 |
| 234131.* | ERX.44 p-M6x25.*  | 44 | M6  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25   | 12 | 25 | 11   | 18        | 16 |
| 234136.* | ERX.44 p-M6x30.*  | 44 | M6  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25   | 12 | 30 | 11   | 18        | 17 |
| 234146.* | ERX.44 p-M6x40.*  | 44 | M6  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25   | 12 | 40 | 11   | 18        | 19 |
| 234151.* | ERX.44 p-M6x45.*  | 44 | M6  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25   | 12 | 45 | 11   | 18        | 20 |
| 234159.* | ERX.44 p-M8x16.*  | 44 | M8  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25   | 12 | 16 | 11   | 18        | 17 |
| 234161.* | ERX.44 p-M8x20.*  | 44 | M8  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25   | 12 | 20 | 11   | 18        | 18 |
| 234163.* | ERX.44 p-M8x25.*  | 44 | M8  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25   | 12 | 25 | 11   | 18        | 19 |
| 234301.* | ERX.63 p-M6x10.*  | 63 | M6  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 10 | 13.5 | 20        | 28 |
| 234306.* | ERX.63 p-M6x16.*  | 63 | M6  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 16 | 13.5 | 20        | 29 |
| 234311.* | ERX.63 p-M6x20.*  | 63 | M6  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 20 | 13.5 | 20        | 30 |
| 234316.* | ERX.63 p-M6x25.*  | 63 | M6  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 25 | 13.5 | 20        | 31 |
| 234321.* | ERX.63 p-M6x30.*  | 63 | M6  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 30 | 13.5 | 20        | 32 |
| 234323.* | ERX.63 p-M6x35.*  | 63 | M6  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 35 | 13.5 | 20        | 32 |
| 234326.* | ERX.63 p-M6x40.*  | 63 | M6  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 40 | 13.5 | 20        | 32 |
| 234329.* | ERX.63 p-M6x50.*  | 63 | M6  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 50 | 13.5 | 20        | 32 |
| 234333.* | ERX.63 p-M8x16.*  | 63 | M8  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 16 | 13.5 | 20        | 32 |
| 234336.* | ERX.63 p-M8x20.*  | 63 | M8  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 20 | 13.5 | 20        | 32 |
| 234341.* | ERX.63 p-M8x25.*  | 63 | M8  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 25 | 13.5 | 20        | 34 |
| 234346.* | ERX.63 p-M8x30.*  | 63 | M8  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 30 | 13.5 | 20        | 36 |
| 234351.* | ERX.63 p-M8x35.*  | 63 | M8  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 35 | 13.5 | 20        | 38 |
| 234356.* | ERX.63 p-M8x40.*  | 63 | M8  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 40 | 13.5 | 20        | 40 |
| 234361.* | ERX.63 p-M8x45.*  | 63 | M8  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 45 | 13.5 | 20        | 41 |
| 234366.* | ERX.63 p-M8x50.*  | 63 | M8  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 50 | 13.5 | 20        | 43 |
| 234371.* | ERX.63 p-M8x60.*  | 63 | M8  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 60 | 13.5 | 20        | 46 |
| 234376.* | ERX.63 p-M8x70.*  | 63 | M8  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 70 | 13.5 | 20        | 50 |
| 234378.* | ERX.63 p-M8x80.*  | 63 | M8  | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 80 | 13.5 | 20        | 50 |
| 234381.* | ERX.63 p-M10x20.* | 63 | M10 | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 20 | 13.5 | 20        | 40 |
| 234382.* | ERX.63 p-M10x30.* | 63 | M10 | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 30 | 13.5 | 20        | 43 |
| 234383.* | ERX.63 p-M10x40.* | 63 | M10 | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 40 | 13.5 | 20        | 46 |
| 234385.* | ERX.63 p-M10x50.* | 63 | M10 | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 50 | 13.5 | 20        | 50 |
| 234387.* | ERX.63 p-M10x60.* | 63 | M10 | 72.5 | 19 | 43   | 47   | 37.5 | 8  | 34.5 | 15 | 60 | 13.5 | 20        | 54 |

Clamping handles




\*Complete with colour index, example: 234498-C2 ERX.78 p-M8x20-C2

C1 RAL7021
  C2 RAL2004
  C3 RAL7035
  C4 RAL1021
  C5 RAL5024
  C6 RAL3000
  C17 RAL6017

METRIC

ERX-p

| Code    | Description       | R   | d6g | L    | D  | H    | H1 | h1   | h2 | h3   | d1   | l  | l1 | Teeth no. |     |
|---------|-------------------|-----|-----|------|----|------|----|------|----|------|------|----|----|-----------|-----|
| 234498* | ERX.78 p-M8x20*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 20 | 16 | 24        | 42  |
| 234501* | ERX.78 p-M8x25*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 25 | 16 | 24        | 43  |
| 234503* | ERX.78 p-M8x30*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 30 | 16 | 24        | 44  |
| 234506* | ERX.78 p-M8x40*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 40 | 16 | 24        | 48  |
| 234507* | ERX.78 p-M8x45*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 45 | 16 | 24        | 50  |
| 234509* | ERX.78 p-M8x50*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 50 | 16 | 24        | 52  |
| 234511* | ERX.78 p-M8x55*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 55 | 16 | 24        | 55  |
| 234513* | ERX.78 p-M8x60*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 60 | 16 | 24        | 57  |
| 234515* | ERX.78 p-M8x70*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 70 | 16 | 24        | 60  |
| 234516* | ERX.78 p-M10x20*  | 78  | M10 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 20 | 16 | 24        | 58  |
| 234521* | ERX.78 p-M10x25*  | 78  | M10 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 25 | 16 | 24        | 61  |
| 234526* | ERX.78 p-M10x30*  | 78  | M10 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 30 | 16 | 24        | 64  |
| 234531* | ERX.78 p-M10x35*  | 78  | M10 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 35 | 16 | 24        | 67  |
| 234536* | ERX.78 p-M10x40*  | 78  | M10 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 40 | 16 | 24        | 70  |
| 234541* | ERX.78 p-M10x50*  | 78  | M10 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 50 | 16 | 24        | 76  |
| 234546* | ERX.78 p-M10x60*  | 78  | M10 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 60 | 16 | 24        | 82  |
| 234551* | ERX.78 p-M10x70*  | 78  | M10 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 70 | 16 | 24        | 88  |
| 234561* | ERX.78 p-M12x20*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 20 | 16 | 24        | 70  |
| 234566* | ERX.78 p-M12x25*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 25 | 16 | 24        | 71  |
| 234571* | ERX.78 p-M12x30*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 30 | 16 | 24        | 74  |
| 234573* | ERX.78 p-M12x35*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 35 | 16 | 24        | 75  |
| 234576* | ERX.78 p-M12x40*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 40 | 16 | 24        | 76  |
| 234581* | ERX.78 p-M12x45*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 45 | 16 | 24        | 77  |
| 234586* | ERX.78 p-M12x50*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 50 | 16 | 24        | 78  |
| 234591* | ERX.78 p-M12x60*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 60 | 16 | 24        | 81  |
| 234593* | ERX.78 p-M12x70*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 70 | 16 | 24        | 84  |
| 234596* | ERX.78 p-M12x80*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 80 | 16 | 24        | 86  |
| 234716* | ERX.95 p-M12x20*  | 95  | M12 | 108  | 26 | 64.5 | 69 | 54.5 | 13 | 53   | 21.5 | 20 | 18 | 26        | 86  |
| 234726* | ERX.95 p-M12x30*  | 95  | M12 | 108  | 26 | 64.5 | 69 | 54.5 | 13 | 53   | 21.5 | 30 | 18 | 26        | 86  |
| 234741* | ERX.95 p-M12x50*  | 95  | M12 | 108  | 26 | 64.5 | 69 | 54.5 | 13 | 53   | 21.5 | 50 | 18 | 26        | 90  |
| 234751* | ERX.95 p-M12x70*  | 95  | M12 | 108  | 26 | 64.5 | 69 | 54.5 | 13 | 53   | 21.5 | 70 | 18 | 26        | 94  |
| 234901* | ERX.95 p-M16x30*  | 95  | M16 | 108  | 26 | 64.5 | 69 | 54.5 | 13 | 53   | 21.5 | 30 | 18 | 26        | 104 |
| 234911* | ERX.95 p-M16x50*  | 95  | M16 | 108  | 26 | 64.5 | 69 | 54.5 | 13 | 53   | 21.5 | 50 | 18 | 26        | 110 |
| 234921* | ERX.95 p-M16x70*  | 95  | M16 | 108  | 26 | 64.5 | 69 | 54.5 | 13 | 53   | 21.5 | 70 | 18 | 26        | 116 |
| 234996* | ERX.108 p-M12x20* | 108 | M12 | 123  | 30 | 65.5 | 70 | 54.5 | 11 | 52.5 | 25   | 20 | 20 | 28        | 70  |
| 235001* | ERX.108 p-M12x30* | 108 | M12 | 123  | 30 | 65.5 | 70 | 54.5 | 11 | 52.5 | 25   | 30 | 20 | 28        | 70  |
| 235006* | ERX.108 p-M12x50* | 108 | M12 | 123  | 30 | 65.5 | 70 | 54.5 | 11 | 52.5 | 25   | 50 | 20 | 28        | 75  |
| 235011* | ERX.108 p-M12x70* | 108 | M12 | 123  | 30 | 65.5 | 70 | 54.5 | 11 | 52.5 | 25   | 70 | 20 | 28        | 80  |
| 235016* | ERX.108 p-M14x30* | 108 | M14 | 123  | 30 | 65.5 | 70 | 54.5 | 11 | 52.5 | 25   | 30 | 20 | 28        | 86  |
| 235021* | ERX.108 p-M14x50* | 108 | M14 | 123  | 30 | 65.5 | 70 | 54.5 | 11 | 52.5 | 25   | 50 | 20 | 28        | 90  |
| 235026* | ERX.108 p-M14x70* | 108 | M14 | 123  | 30 | 65.5 | 70 | 54.5 | 11 | 52.5 | 25   | 70 | 20 | 28        | 95  |
| 235036* | ERX.108 p-M16x30* | 108 | M16 | 123  | 30 | 65.5 | 70 | 54.5 | 11 | 52.5 | 25   | 30 | 20 | 28        | 100 |
| 235041* | ERX.108 p-M16x50* | 108 | M16 | 123  | 30 | 65.5 | 70 | 54.5 | 11 | 52.5 | 25   | 50 | 20 | 28        | 105 |
| 235046* | ERX.108 p-M16x70* | 108 | M16 | 123  | 30 | 65.5 | 70 | 54.5 | 11 | 52.5 | 25   | 70 | 20 | 28        | 110 |




ERX-SST-p

INOX STAINLESS STEEL METRIC

| Code    | Description         | R  | d6g | L    | D  | H    | H1   | h1   | h2 | h3 | d1 | l  | l1 | Teeth no. |    |
|---------|---------------------|----|-----|------|----|------|------|------|----|----|----|----|----|-----------|----|
| 235061* | ERX.30-SST-p M5x10* | 30 | M5  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23 | 12 | 10 | 9  | 18        | 6  |
| 235066* | ERX.30-SST-p M5x16* | 30 | M5  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23 | 12 | 16 | 9  | 18        | 7  |
| 235196* | ERX.30-SST-p M6x10* | 30 | M6  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23 | 12 | 10 | 9  | 18        | 8  |
| 235201* | ERX.30-SST-p M6x16* | 30 | M6  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23 | 12 | 16 | 9  | 18        | 9  |
| 235203* | ERX.30-SST-p M6x20* | 30 | M6  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23 | 12 | 20 | 9  | 18        | 10 |
| 235205* | ERX.30-SST-p M6x25* | 30 | M6  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23 | 12 | 25 | 9  | 18        | 11 |
| 235207* | ERX.30-SST-p M6x30* | 30 | M6  | 37.5 | 15 | 30   | 33.5 | 29.5 | 6  | 23 | 12 | 30 | 9  | 18        | 12 |
| 235209* | ERX.44-SST-p M5x10* | 44 | M5  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25 | 12 | 10 | 11 | 18        | 10 |
| 235211* | ERX.44-SST-p M5x16* | 44 | M5  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25 | 12 | 16 | 11 | 18        | 12 |
| 235216* | ERX.44-SST-p M6x10* | 44 | M6  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25 | 12 | 10 | 11 | 18        | 13 |
| 235221* | ERX.44-SST-p M6x16* | 44 | M6  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25 | 12 | 16 | 11 | 18        | 14 |
| 235226* | ERX.44-SST-p M6x20* | 44 | M6  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25 | 12 | 20 | 11 | 18        | 16 |
| 235231* | ERX.44-SST-p M6x25* | 44 | M6  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25 | 12 | 25 | 11 | 18        | 17 |
| 235236* | ERX.44-SST-p M6x30* | 44 | M6  | 52   | 16 | 32.5 | 36   | 29.5 | 6  | 25 | 12 | 30 | 11 | 18        | 18 |

Clamping handles

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- Clamping handles
- 6



**Conversion Table**  
1 mm = 0.039 inch

| mm  | inch |
|-----|------|
| 30  | 1.18 |
| 44  | 1.73 |
| 63  | 2.48 |
| 78  | 3.07 |
| 95  | 3.74 |
| 108 | 4.25 |



\* Complete with colour index, example: 235341-C2 ERX.63 SST-p-M6x10-C2

- C1 RAL7021
- C2 RAL2004
- C3 RAL7035
- C4 RAL1021
- C5 RAL5024
- C6 RAL3000
- C7 RAL6017

**INOX** STAINLESS STEEL **METRIC**

**ERX-SST-p**

| Code     | Description            | R   | d6g | L    | D  | H    | H1 | h1   | h2 | h3   | d1   | l  | l1   | Teeth no. | △  |
|----------|------------------------|-----|-----|------|----|------|----|------|----|------|------|----|------|-----------|----|
| 235341-* | ERX.63 SST-p-M6x10-*   | 63  | M6  | 72.5 | 19 | 43   | 47 | 37.5 | 8  | 34.5 | 15   | 10 | 13.5 | 20        | 30 |
| 235351-* | ERX.63 SST-p-M6x20-*   | 63  | M6  | 72.5 | 19 | 43   | 47 | 37.5 | 8  | 34.5 | 15   | 20 | 13.5 | 20        | 31 |
| 235421-* | ERX.63 SST-p-M6x30-*   | 63  | M6  | 72.5 | 19 | 43   | 47 | 37.5 | 8  | 34.5 | 15   | 30 | 13.5 | 20        | 32 |
| 235426-* | ERX.63 SST-p-M6x40-*   | 63  | M6  | 72.5 | 19 | 43   | 47 | 37.5 | 8  | 34.5 | 15   | 40 | 13.5 | 20        | 33 |
| 235431-* | ERX.63 SST-p-M8x16-*   | 63  | M8  | 72.5 | 19 | 43   | 47 | 37.5 | 8  | 34.5 | 15   | 16 | 13.5 | 20        | 31 |
| 235436-* | ERX.63 SST-p-M8x20-*   | 63  | M8  | 72.5 | 19 | 43   | 47 | 37.5 | 8  | 34.5 | 15   | 20 | 13.5 | 20        | 32 |
| 235441-* | ERX.63 SST-p-M8x25-*   | 63  | M8  | 72.5 | 19 | 43   | 47 | 37.5 | 8  | 34.5 | 15   | 25 | 13.5 | 20        | 33 |
| 235446-* | ERX.63 SST-p-M8x30-*   | 63  | M8  | 72.5 | 19 | 43   | 47 | 37.5 | 8  | 34.5 | 15   | 30 | 13.5 | 20        | 37 |
| 235451-* | ERX.63 SST-p-M8x35-*   | 63  | M8  | 72.5 | 19 | 43   | 47 | 37.5 | 8  | 34.5 | 15   | 35 | 13.5 | 20        | 38 |
| 235456-* | ERX.63 SST-p-M8x40-*   | 63  | M8  | 72.5 | 19 | 43   | 47 | 37.5 | 8  | 34.5 | 15   | 40 | 13.5 | 20        | 41 |
| 235461-* | ERX.63 SST-p-M8x45-*   | 63  | M8  | 72.5 | 19 | 43   | 47 | 37.5 | 8  | 34.5 | 15   | 45 | 13.5 | 20        | 42 |
| 235466-* | ERX.63 SST-p-M8x50-*   | 63  | M8  | 72.5 | 19 | 43   | 47 | 37.5 | 8  | 34.5 | 15   | 50 | 13.5 | 20        | 44 |
| 235471-* | ERX.63 SST-p-M8x60-*   | 63  | M8  | 72.5 | 19 | 43   | 47 | 37.5 | 8  | 34.5 | 15   | 60 | 13.5 | 20        | 47 |
| 235476-* | ERX.63 SST-p-M8x70-*   | 63  | M8  | 72.5 | 19 | 43   | 47 | 37.5 | 8  | 34.5 | 15   | 70 | 13.5 | 20        | 52 |
| 235601-* | ERX.78 SST-p-M8x20-*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 20 | 16   | 24        | 43 |
| 235602-* | ERX.78 SST-p-M8x25-*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 25 | 16   | 24        | 44 |
| 235605-* | ERX.78 SST-p-M8x30-*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 30 | 16   | 24        | 45 |
| 235607-* | ERX.78 SST-p-M8x40-*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 40 | 16   | 24        | 50 |
| 235609-* | ERX.78 SST-p-M8x45-*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 45 | 16   | 24        | 52 |
| 235611-* | ERX.78 SST-p-M8x50-*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 50 | 16   | 24        | 54 |
| 235617-* | ERX.78 SST-p-M8x70-*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 70 | 16   | 24        | 62 |
| 235618-* | ERX.78 SST-p-M8x80-*   | 78  | M8  | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 80 | 16   | 24        | 64 |
| 235716-* | ERX.78 SST-p-M10x20-*  | 78  | M10 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 20 | 16   | 24        | 58 |
| 235726-* | ERX.78 SST-p-M10x30-*  | 78  | M10 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 30 | 16   | 24        | 64 |
| 235731-* | ERX.78 SST-p-M10x35-*  | 78  | M10 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 35 | 16   | 24        | 66 |
| 235736-* | ERX.78 SST-p-M10x40-*  | 78  | M10 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 40 | 16   | 24        | 67 |
| 235741-* | ERX.78 SST-p-M10x50-*  | 78  | M10 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 50 | 16   | 24        | 68 |
| 235746-* | ERX.78 SST-p-M10x60-*  | 78  | M10 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 60 | 16   | 24        | 70 |
| 235771-* | ERX.78 SST-p-M12x30-*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 30 | 16   | 24        | 74 |
| 235773-* | ERX.78 SST-p-M12x35-*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 35 | 16   | 24        | 76 |
| 235781-* | ERX.78 SST-p-M12x40-*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 40 | 16   | 24        | 77 |
| 235786-* | ERX.78 SST-p-M12x50-*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 50 | 16   | 24        | 79 |
| 235893-* | ERX.78 SST-p-M12x70-*  | 78  | M12 | 89.5 | 23 | 54   | 58 | 47   | 12 | 44   | 19   | 70 | 16   | 24        | 82 |
| 235901-* | ERX.95 SST-p-M12x30-*  | 95  | M12 | 108  | 26 | 64.5 | 69 | 54.5 | 13 | 53   | 21.5 | 30 | 18   | 26        | 87 |
| 235911-* | ERX.95 SST-p-M12x40-*  | 95  | M12 | 108  | 26 | 64.5 | 69 | 54.5 | 13 | 53   | 21.5 | 40 | 18   | 26        | 90 |
| 235921-* | ERX.95 SST-p-M12x50-*  | 95  | M12 | 108  | 26 | 64.5 | 69 | 54.5 | 13 | 53   | 21.5 | 50 | 18   | 26        | 93 |
| 235941-* | ERX.95 SST-p-M12x70-*  | 95  | M12 | 108  | 26 | 64.5 | 69 | 54.5 | 13 | 53   | 21.5 | 70 | 18   | 26        | 98 |
| 236001-* | ERX.108 SST-p-M12x30-* | 108 | M12 | 123  | 30 | 65.5 | 70 | 54.5 | 11 | 52.5 | 25   | 30 | 20   | 28        | 70 |
| 236003-* | ERX.108 SST-p-M12x40-* | 108 | M12 | 123  | 30 | 65.5 | 70 | 54.5 | 11 | 52.5 | 25   | 40 | 20   | 28        | 73 |
| 236006-* | ERX.108 SST-p-M12x50-* | 108 | M12 | 123  | 30 | 65.5 | 70 | 54.5 | 11 | 52.5 | 25   | 50 | 20   | 28        | 75 |
| 236011-* | ERX.108 SST-p-M12x70-* | 108 | M12 | 123  | 30 | 65.5 | 70 | 54.5 | 11 | 52.5 | 25   | 70 | 20   | 28        | 80 |