

## Specification Sheet

Part Number: 151-00663



Bundling Clip with Fir Tree, 1.5" Long, 0.7 - 5.7mm Panel Thickness, PA66HIRHSUV, Black, 10000/box

<b>Article Number</b>	151-00663
<b>Type</b>	TC6FT6
<b>Color</b>	Black (BK)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>•The different fixing orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters.</li></ul>
<b>Quantity Per</b>	bag
<b>Product Description</b>	HellermannTyton Bundling Clips are designed to provide simple and easy methods for securing cable bundles, hoses, or pipes. They are fastened onto the tape bar using tape or cable ties.
<b>Short Description</b>	Bundling Clip with Fir Tree, 1.5" Long, 0.7 - 5.7mm Panel Thickness, PA66HIRHSUV, Black, 10000/box

Global Part Name

TC6FT6-PA66HIRHSUV-BK

Length L (Imperial)

1.5

Length L (Metric)

38.1

Fixation Method

Fir Tree

Width W (Imperial)

0.5

Width W (Metric)

12.0

Height H (Imperial)

.50

Height H (Metric)

14.0

Panel Thickness Min(Imperial)

0.03

Panel Thickness Max(Imperial)

0.71

Panel Thickness Min (Metric)

0.70

Panel Thickness Max (Metric)

5.75

Mounting Hole Diameter D (Imperial)

0.26

Mounting Hole Diameter D (Metric)

6.2 - 6.8 mm

Mounting Hole Diameter D Min (Imperial)

0.24

Mounting Hole Diameter D Max (Imperial)

0.27

Mounting Hole Diameter D Max (Metric)

6.2

<b>Material</b>	Polyamide 6.6 high impact modified, heat and UV-resistant (PA66HIRHSUV)
<b>Material Shortcut</b>	PA66HIRHSUV
<b>Flammability</b>	UL 94 HB
<b>Operating Temperature (Metric)</b>	-40°F to +230°F (-40°C to +110°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	10000
<b>Package Quantity (Metric)</b>	10000
<b>Customs Number</b>	3926909988
<b>Content Unit(BMEcat)</b>	pcs.