

Data sheet | Item number: 233-332

Operating tool; made of insulating material; white

www.wago.com/233-332



Data

Technical data

Main product function	Operating tool
Number of spacings	1 -way

Physical data

Depth	71 mm / 2.79 inches
Pin spacing	2.5/2.54 mm

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Mechanical Data

Suitable

for male and female connectors with CAGE CLAMP® connection

Material Data

Color white

Fire load 0.055 MJ

Weight 1.2 g

Commercial data

Product Group 4 (Printed Circuit Connectors)

eCl@ss 10.0 27-14-11-92

eCl@ss 9.0 27-44-04-92

ETIM 8.0 EC002848

ETIM 7.0 EC002848

PU (SPU) 500 (50) pcs

Packaging type box

Country of origin CH

GTIN 4017332125154

Customs tariff number 39269097900

Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 233-332

URL

Download

Operating tool; made of insulating material; white

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27


32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Conductor termination via operating tool (233-331) Operation parallel to conductor entry

Subject to changes. Please also observe the further product documentation!