




LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DMN	APVD		
G		REV PER ECO-10-020535	27SEP2010	LC	CW		
H		ECR-12-010652	6NOV12	SY	AC		

### CONNECTOR ASSEMBLY EXAMPLARY LOADED




### CONTACT DIMENSIONS SCALE 5:1



### CONTACT LAYOUT

	z	a	b	c	d	e	f
1	T	P	P	P	P	P	T
2	T	P	P	P	P	P	T
3	T	P	P	P	P	P	T
4	T	P	P	P	P	P	T
5	T	P	P	P	P	P	T
6	T	P	P	P	P	P	T
7	T	P	P	P	P	P	T
8	T	P	P	P	P	P	T
9	T	P	P	P	P	P	T
10	T	P	P	P	P	P	T
11	T	P	P	P	P	P	T
12	T	P	P	P	P	P	T
13	T	P	P	P	P	P	T
14	T	P	P	P	P	P	T
15	T	P	P	P	P	P	T
16	T	P	P	P	P	P	T
17	T	P	P	P	P	P	T
18	T	P	P	P	P	P	T
19	T	P	P	P	P	P	T
20	T	P	P	P	P	P	T
21	T	P	P	P	P	P	T
22	T	P	P	P	P	P	T

### RECOMMENDED PCB-HOLE LAYOUT COMPONENT SIDE SHOWN



### PLATED THRU HOLES PARAMETERS REFERENCE APPLICATION SPECIFICATION

	2	3	13	3-352128-0
	2	6	12	1-352128-9
OBSOLETE	2	5	12	-352128-9-
	2	4		352128-4
OBSOLETE	2	3		-352128-1-
	FINISH			PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN B CARBO 14DEC05	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: mm		CIK G SKIPPER 14DEC05	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD G SKIPPER 14DEC05	PRODUCT SPEC	
0-PLC ±		108-19082		
1-PLC ±0:1		APPLICATION SPEC		
2-PLC ±		114-19029		
3-PLC ±		SIZE		
4-PLC ±		CAGE CODE		
ANGLES ±		DRAWING NO		
FINISH SEE TABLE		RESTRICTED TO		
MATERIAL 1		WEIGHT		
		A1 00779 C=352128		
		CUSTOMER DRAWING		
		SCALE 4:1 SHEET 1 OF 2 REV H		

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
IF	LTR	DESCRIPTION	DATE	DRN	APVD		
AD	00	SEE SHEET 1	-	-	-	-	-

- 1 MATERIAL:  
CONTACT: PHOSPHOR BRONZE.  
HOUSING: GLASS-FILLED POLYESTER.
- 2 GENERAL PLATING SPECIFICATION: UNDERPLATING  
(ENTIRE CONTACT): 1.27µm MIN NICKEL AND ACTION  
PIN: 0.5µm MIN TIN/LEAD.  
FOR PLATING OF MATING SURFACES SEE APPLICABLE  
SPECIFICATION REFERENCE FOR EACH DASH NUMBER.
- 3 CONFORMS TO ALL TESTING ACCORDING TO IEC 61076-4-101  
PERFORMANCE LEVEL 2.
- 4 CONFORMS TO ALL TESTING ACCORDING TO IEC 61076-4-101  
PERFORMANCE LEVEL 1.
- 5 CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL 3,  
CENTRAL OFFICE APPLICATIONS.
- 6 CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL 3,  
UNCONTROLLED ENVIROMENT APPLICATIONS.
- 7 CONNECTOR MARKED WITH PART NUMBER AND DATE CODE.  
ADDITIONAL CHARACTERS OR MARKINGS, AS WELL AS THE LOCATION OF THE MARKINGS,  
MAY BE ADDED FOR TRACEABILITY BASED UPON MANUFACTURERS DISCRETION.
- 8 PLATED-THROUGH HOLES AT 2x2mm SQUARE GRID  
PATTERN DEFINED BY CONTACT LAYOUT.
- 9 FOR ACTUAL PIN LOADING SEE "CONTACT LAYOUT".
- 10 FOR ACTUAL PIN DIMENSIONS SEE "CONTACT DIMENSIONS".
- 11 TO BE MEASURED AT BOTTOM OF SHROUD.
- 12 CONNECTOR LUBRICATED WITH BELCORE APPROVED LUBRICANT,  
TECHNICAL REFERENCE: TR-NWT-001217 ISSUE 1, SEP 1992.
- 13 0.76µm MIN. GOLD PLATING AT MATING SURFACES.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. CARBO 14DEC05	Tyco Electronics Corporation Harrisburg, Pa 17105-3608																					
DIMENSIONS: mm		CHK G. SKIPPER 14DEC05	NAME MALE ASSEMBLY, Z-PACK 2mm HM, TYPE B																					
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPD G. SKIPPER 14DEC05	PRODUCT SPEC 108-19082																					
<table border="0"> <tr><td>0-PLG</td><td>±</td><td></td></tr> <tr><td>1-PLG</td><td>±</td><td>0.1</td></tr> <tr><td>2-PLG</td><td>±</td><td>0.2</td></tr> <tr><td>3-PLG</td><td>±</td><td></td></tr> <tr><td>4-PLG</td><td>±</td><td></td></tr> <tr><td>ANGLES</td><td>±</td><td></td></tr> <tr><td>FINISH</td><td>±</td><td></td></tr> </table>		0-PLG	±		1-PLG	±	0.1	2-PLG	±	0.2	3-PLG	±		4-PLG	±		ANGLES	±		FINISH	±		APPLICATION SPEC 114-19029	
0-PLG	±																							
1-PLG	±	0.1																						
2-PLG	±	0.2																						
3-PLG	±																							
4-PLG	±																							
ANGLES	±																							
FINISH	±																							
MATERIAL SEE SHEET 1	FINISH SEE SHEET 1	WEIGHT -	SIZE A1	CAGE CODE 00779																				
CUSTOMER DRAWING		DRAWING NO 352128	RESTRICTED TO -	SCALE 4:1																				
		SHEET 2	OF 2	REV H																				