

## **Specification Sheet**

Part Number: 596-00495

Pre-Printed Vinyl Solar Labels are made with UV-stable inks and materials for durability and weather resistance.

Supplied with an aggressive adhesive to ensure long life.

Meets NEC® & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.

Pre-printed labels offer significant time and cost savings over high-priced plastic engraved phenolic placards and the lead time of purchased markers.

▲ WARNING DUAL POWER SOURCE SECOND SOURCE IS PHOTOVOLTAIC SYSTEM

Solar Label, WARNING DUAL POWER SOURCE...SYSTEM, 4.125" x .75", VL, Orange, 50/roll

Article Number 596-00495

Type WDPSLBL

Color Orange (OG)

Quantity Per roll

Product Description HellermannTyton pre-printed Solar Installation Labels are designed to

meet the requirements of the National Electrical Code and the International Fire Code as well as being acceptable to the Authority Having Jurisdiction (AHJ). Labels are made with durable UV-stable materials and adhesives that are designed to stick to both baked enamel and powder coat surfaces. Where applicable, labels are made using reflective materials for first responder safety. Some pre-printed labels are printable using a thermal transfer printer when variable

voltage or series data must be printed and displayed.

Short Description Solar Label, WARNING DUAL POWER SOURCE...SYSTEM, 4.125" x

.75", VL, Orange, 50/roll

Global Part Name WDPSLBL-443/281-OG

Local Order Number 2 Cross Reference = 10 per pack: 596-00665; Metal Solar Placard 5

pack: 596-00833

Width W (Imperial) 4.125

Width W (Metric) 104.6

Thickness T (Imperial) 0.0025

Thickness T (Metric) 64.0

Height H (Imperial) 0.75

Height H (Metric) 19.05

Material Type 443/281, UV-stabilised, flexible white vinyl with clear polyester

laminate (443/281)

Material Shortcut 443/281

Adhesive Acrylic

Halogen Free No

UV Resistant (Yes/No) Yes

Adhesive Operating Temperature -40°F to +174°F (-40°C to +79°C)

**Operating Temperature** -40°F to +174°F (-40°C to +79°C) Reach Compliant (Article 33) Yes **ROHS Compliant** Yes Certification/Specification UL 969 NEC2017 NEC2020 NEC2014 NEC2023 Yes Warranty (US) UL Recognized (US) Yes Package Quantity (Imperial) 50 Package Quantity (Metric) 50 3919102055 Customs Number 1 Labels per Column

1

## About HellermannTyton

Labels per Row

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.