| ASSOCIATION CONNECTING<br>ELECTRONICS INDUSTRIES®   | burn, Illinois, A                           | ll rights reserved untions. | under both    | This docume<br>level parts, t  | ent is a declara<br>he declaration | tion of the sencompasse                       | substances<br>es all lowe | within the m<br>er level mater | anufacture<br>ials for whi      | r listed item.<br>ich the manu        | Note: if<br>facturer l | the item is an as<br>has engineering | sembly with lower responsibility. |
|---|---|-----------------------------|---------------|--|------------------------------------|---|---------------------------|--------------------------------|---------------------------------|---------------------------------------|------------------------|--------------------------------------|-----------------------------------|
| 2-21.1 IPC Web Site for Information on IPC-1752 Standard Form Typ<br>http://www.ipc.org/IPC-175x Distribute |   |                             |               | * Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Material |                                    |   |                           |                                | ls and Mfg Information          |                                       |                        |                                      |                                   |
| Supplier Information  |   |                             |               |  |                                    |   |                           |                                |                                 |                                       |                        |                                      |                                   |
| Company name* Company unique ID   |   |                             |               | Unique ID Authority  |                                    |   |                           |                                | ]                               | Response Date*                        |                        |                                      |                                   |
| isemi   |   |                             |               |  |                                    |   |                           |                                |                                 | 2023-06-08                            |                        |                                      |                                   |
| Contact Name  | Title - Contact                             |                             |               |  | Phone - Contact*                   |   |                           |                                | 1                               | Email - Contact*                      |                        |                                      |                                   |
| Product-Env-Stewards  | luct-Env-Stewards Product Enviro Compliance |                             |               |  | NA                                 |   |                           |                                |                                 | Product-Env-Stewards@onsemi.com       |                        |                                      |                                   |
| Authorized Representative* Title - Representative   |   |                             |               | Phone - Representative*  |                                    |   |                           | 1                              | Email - Representative*         |                                       |                        |                                      |                                   |
| Product-Env-Stewards Product Enviro Compliance  |   |                             | iance         |  | NA                                 |   |                           |                                | Product-Env-Stewards@onsemi.com |                                       |                        |                                      |                                   |
| Requester Item Number Mfr Ite   | m Number                                    | Mfr Item Name               |               |  | Effective Dat                      | Date Version Manufacturing Site               |                           | ig Site                        | Weig                            | ;ht*                                  | UOM                    | Unit Type                            |                                   |
| NLV1  | V14569BDWR2G PROGRAMMABI                    |                             | BLE DIVIDE-BY | Y-N  | 2023-06-08 PH1                     |   | PH1                       |                                | 422.0                           | )1                                    | mg                     | Each                                 |                                   |
| Manufacturing Proccess Information  |   | ·                           |               |  |                                    |   |                           |                                |                                 |                                       |                        |                                      | ·                                 |
| Terminal Plating / Grid Array Material  | Terminal Base Alloy J-STD-020               |                             |               | Rating   | Peak Pro                           | Peak Process Body Temperature Max Time at Pea |                           |                                | e at Peak T                     | k Temperature Number of Reflow Cycles |                        |                                      |                                   |
| Matte Tin (Sn) - annealed CU Alloy 1  |   |                             | 1             |  | 260                                |   | С                         | 30                             |                                 | seconds                               | 3                      |                                      |                                   |
| Comments  |   |                             |               |  |                                    |   |                           |                                |                                 |                                       |                        |                                      |                                   |
| evel 1 - maximum time at peak temperature during  | oldering is 10-3                            | 0 seconds                   |               |  |                                    |   |                           |                                |                                 |                                       |                        |                                      |                                   |
| for more information regarding material composition   | n please refer to                           | page 3                      |               |  |                                    |   |                           |                                |                                 |                                       |                        |                                      |                                   |

| RoHS Material Composition Declaration  |  |  |   | Declaration Type *                              | Detailed  |  |  |  |  |  |  |  |
|--|--|--|---|---|---|--|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | /EU (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).   |  |   |   |   |  |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>y others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and co<br>for issues that arise regarding inform | ce of its products with European Union membe    | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa  | on above   | Supplier Acceptance   | * Accepted                                      |   |  |  |  |  |  |  |  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per   | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i   | n the RoHS Declaration above and choose all   |  |  |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU   |  |   |   |   |  |  |  |  |  |  |  |
| Declaration Signature  |  |  |   |   |   |  |  |  |  |  |  |  |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester  | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital | lly sign the declaration (if required by the  |  |  |  |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska  | Le   |   |   |   |  |  |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| sigma range of distribution unless otherwise noted). |        |                 |          |                            |                  |        |          |                 |  |  |
|--|--------|-----------------|----------|----------------------------|------------------|--------|----------|-----------------|--|--|
| Homogeneous Material                                 | Weight | Unit of Measure | Level    | Substance                  | CAS              | Exempt | Weight   | Unit of Measure |  |  |
| Die  | 5.84   | mg              | Supplier | Silicon (Si)               | 7440-21-3        |        | 5.84     | mg              |  |  |
| Die Attach   | 16.72  | mg              | Supplier | Silver (Ag)                | 7440-22-4        |        | 12.54    | mg              |  |  |
|  |        |                 | Supplier | Epoxy resins               | 129915-35-1      |        | 4.18     | mg              |  |  |
| Lead Frame 26  | 261.87 | mg              | Supplier | Silver (Ag)                | 7440-22-4        |        | 2.8806   | mg              |  |  |
|  |        |                 | Supplier | Zinc (Zn)                  | 7440-66-6        |        | 0.5237   | mg              |  |  |
|  |        |                 | Supplier | Iron (Fe)                  | 7439-89-6        |        | 6.8086   | mg              |  |  |
|  |        |                 | Supplier | Copper (Cu)                | 7440-50-8        |        | 251.6571 | mg              |  |  |
| Mold Compound-Black                                  | 133.38 | mg              |          | Epoxy resin                | proprietary data |        | 6.669    | mg              |  |  |
|  |        |                 | Supplier | Phenolic Resin             | Proprietary Data |        | 6.669    | mg              |  |  |
|  |        |                 | Supplier | Ortho Cresol Novolac Resin | 29690-82-2       |        | 2.6676   | mg              |  |  |
|  |        |                 | Supplier | Carbon Black (C)           | 1333-86-4        |        | 0.6669   | mg              |  |  |
|  |        |                 | Supplier | Fused Silica (SiO2)        | 60676-86-0       |        | 116.7075 | mg              |  |  |
| Plating  | 3.83   | mg              | Supplier | Tin (Sn)                   | 7440-31-5        |        | 3.83     | mg              |  |  |
| Wire Bond - Cu                                       | 0.37   | mg              | Supplier | Copper (Cu)                | 7440-50-8        |        | 0.37     | mg              |  |  |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3