


**NOTES:**

- ① MAT'L: COPPER (STOCK TKN.  $\frac{.040}{1.02}$ )
  - ② PLATING: ELECTRO TIN (.0003 MIN) TIN-PLATED BRASS NON-FUNNEL FERRULE
  - ③ NYLON INSULATION (COLOR CODED YELLOW)
- STUD SIZES: ( $\pm .005$ )
- |            |           |
|------------|-----------|
| 02 = .094  | 413 = 413 |
| 04 = .119  | 76 = 453  |
| 06 = .146  | 12 = 515  |
| 08 = .173  |           |
| 10 = .198  |           |
| 14 = .265  |           |
| 56 = .328  |           |
| 38 = .390  |           |
| 209 = .209 |           |
- ALL DIMENSIONS =  $\frac{\text{INCHES}}{\text{MM}}$
- "UL" LISTING # E32244  
 "CSA" LISTING # 18689
- WIRE SIZE: 12 - 10 AWG<sup>2</sup>  
 4.0 - 6.0 MM<sup>2</sup>



(MWID) = DENOTES MAXIMUM WIRE INSULATION DIAMETER

PART NUMBER	"W"	"C"	"L"	SCALE:	DATE	TITLE:	DWG. NO.
	$\pm .010$	MIN.	MAX.	NTS			
C-801-	$\frac{.750}{19.05}$	$\frac{.611}{15.51}$	$\frac{1.580}{40.13}$	DRWN. BY: EMIF	9-22-87	RING TONGUE TERMINAL AVIKRIMP 800-SERIES	A
C-828-	$\frac{.375}{9.53}$	$\frac{.303}{7.70}$	$\frac{1.091}{27.71}$	CHKD. BY:			
C-830-	$\frac{.530}{13.46}$	$\frac{.393}{9.98}$	$\frac{1.258}{31.95}$	APPRD. BY:			
C-836-	$\frac{.282}{7.16}$	$\frac{.306}{7.77}$	$\frac{1.047}{26.59}$				
C-840-	$\frac{.592}{15.04}$	$\frac{.466}{11.83}$	$\frac{1.362}{34.59}$				
DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED		REFERENCE					
FRAC.	DEC.	ANG.					
$\pm$	$\pm$	$\pm$					



CUSTOMER DWG