


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


ORIGINAL

(1)






## NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



2W2 / 2WK2

5W5 Male

47.05

23.53

3W3 / 3WK3

8W8 Male



7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female


and a

5W5 Female		8W8 Fem	ale		
	47.05 23.83 14.48 14.48 14.48 8.38 	÷		and a state	
				17W2	Male/Female
	CURRENT RATING / 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	/ ØA		M42 +	
			COI	MBINATION	D-SUB
	THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.			EDAC INC DNTO, ONTARIO CANADA TY & SERVICE	THESE DRAWINGS AND SPECIFICA ARE THE PROPERTY OF EDAC INC., SHALL NOT BE REPRODUCED,OR C OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPAF WITHOUT WRITTEN PERMISSION.

63.50

31.75


22.97



	47.0	05
	16.52	23.53
<b>ৰ</b> গ	15.24	
44		* · · · ·
1++++		

754 754	6.65 15.65 1.39 1.39 0.9 <sup>4</sup> 0.9 <sup>4</sup>	818 

11W1 Male/Female



) SPECIFICATIONS F EDAC INC.,AND DUCED,OR COPIEI FOR THE E OF APPARATUS

	SW REFERENCE NO .:	627 C	OMBO AS	SEME	BLY	
	DRAWN: C.B		DATE:	JAN.	01/20	19
	CHECKED:		DATE:			
IS )	SCALE: N.T.S		SHEET	3	OF	4
ED JS	DRAWING NUMBER:	627-3WK	3622-1N	1		ISSUE
	PART NUMBER: 627-3WK		3622-1N	1		1

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25



25W3 Female


36W4 Female






25W3 Male





47.02 23.53 14.51 9.70 1 82 7.79 33







L ∓€ 2 77

13W3 Male

3




36W4 Male





30.50 20.70 16.62 13.72 2.77

13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female




43W2 Female

47W1 Female





17W5 Male

COMPLIANT



47W1 Male





22.16 20.78 2.77

		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 627-3WK	3622-1N1	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627-3WK3622-1N1		1