| ASSOCIATION CO | Material Composit<br>© Copyright 2005. IPC,<br>international and Pan-An | Bannockb                  | urn, Illinois, A  | Il rights reserved untions. | under both              | This docum<br>level parts, | ent is a decla<br>the declaratio                                 | aration on enco            | of the substance<br>ompasses all low | es within the manufa<br>ver level materials f | acturer liste<br>or which th    | ed item. Note: if<br>e manufacturer | the item is an a has engineering | ssembly with lower responsibility. |  |  |
|----------------|---|---------------------------|---|-----------------------------|-------------------------|----------------------------|--|----------------------------|--------------------------------------|---|---------------------------------|-------------------------------------|----------------------------------|------------------------------------|--|--|
| 1752-21.1      |   |                           |   |                             | Form Type<br>Distribute | *                          | Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Materi |                            |                                      |   | aterials and                    | als and Mfg Information             |                                  |                                    |  |  |
| Supplier I     | nformation  |                           |   |                             | · ·                     |                            |  |                            |                                      |   |                                 |                                     |                                  |                                    |  |  |
| Company na     | me*   | Company unique ID         |   |                             | Unique ID Authority     |                            |  |                            | Resp                                 | Response Date*                                |                                 |                                     |                                  |                                    |  |  |
| onsemi         |   |                           |   |                             |                         |                            |  |                            |                                      |   | 2023                            | 2023-06-08                          |                                  |                                    |  |  |
| Contact Nam    | ıe  | Title - Contact           |   |                             | Phone - Contact*        |                            |  |                            | Ema                                  | Email - Contact*                              |                                 |                                     |                                  |                                    |  |  |
| Product-Env    | v-Stewards  | Product Enviro Compliance |   |                             |                         | NA                         |  |                            |                                      | Pro   | Product-Env-Stewards@onsemi.com |                                     |                                  |                                    |  |  |
| Authorized F   | Representative*   | Title - Representative    |   |                             | Phone - Representative* |                            |  | Ema                        | Email - Representative*              |   |                                 |                                     |                                  |                                    |  |  |
| Product-Env    | v-Stewards  | Product Enviro Compliance |   |                             | NA                      |                            |  |                            | Proc                                 | Product-Env-Stewards@onsemi.com               |                                 |                                     |                                  |                                    |  |  |
| R              | Requester Item Number   | Number Mfr Item Name      |   |                             |                         | Effective Date Version     |  | Version Manufacturing Site |                                      | e   | Weight*                         | UOM                                 | Unit Type                        |                                    |  |  |
|                | LV8121V   |                           | -TLM-H 3PH DRV SENSOR OPEN ; Three phase driver with hall sensor method (open loop speed control) |                             |                         |                            | 2023-06-08   | 3                          |                                      |   |                                 | 350.0                               | mg                               | Each                               |  |  |
| Manufactı      | uring Proccess Information  | 1                         |   |                             |                         |                            |  |                            |                                      |   |                                 |                                     |                                  |                                    |  |  |
| Te             | Terminal Plating / Grid Array Material                                  |                           |   | erminal Base Alloy J-STD-02 |                         | L Rating                   | Peak P   | Peak Process Body Temperat |                                      | ure Max Time at Peak Temper                   |                                 | nperature Number of Reflow Cycles   |                                  | cles                               |  |  |
| со             | contains Bi CU Allog  |                           |   | loy 3                       |                         |                            | 260 C 30   |                            |                                      | se  | seconds 3                       |                                     |                                  |                                    |  |  |
| Comments       |   |                           |   |                             |                         |                            |  |                            |                                      |   |                                 |                                     |                                  |                                    |  |  |
| ATTENTIO       | N: MSL 3 Rated item requires Ba   | ke and D                  | ry Pack (after  | electrical test)            |                         |                            |  |                            |                                      |   |                                 |                                     |                                  |                                    |  |  |
| For more inf   | formation regarding material com  | position <b>j</b>         | please refer to   | page 3                      |                         |                            |  |                            |                                      |   |                                 |                                     |                                  |                                    |  |  |

| RoHS Material Composition Declaration  |  |  |   | Declaration Type *                              | Detailed  |  |  |  |  |  |  |
|--|--|--|---|---|---|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP). |  |   |   |   |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>v others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the   | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and cc<br>for issues that arise regarding inform | ce of its products with European Union membe    | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa  | on above   | Supplier Acceptance   | * Accepted                                      |   |  |  |  |  |  |  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per   | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i   | n the RoHS Declaration above and choose all   |  |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU   |  |   |   |   |  |  |  |  |  |  |
| Declaration Signature  |  |  |   |   |   |  |  |  |  |  |  |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester  | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital | lly sign the declaration (if required by the  |  |  |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska  | Le   |   |   |   |  |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| Homogeneous Material | Weight | Unit of Measure | Level    | Substance                    | CAS              | Exempt | Weight   | Unit of Measure |
|----------------------|--------|-----------------|----------|------------------------------|------------------|--------|----------|-----------------|
| Die                  | 11.37  | mg              | Supplier | Silicon (Si)                 | 7440-21-3        |        | 11.3279  | mg              |
|                      |        |                 | Supplier | Polyimide                    | Proprietary Data |        | 0.0421   | mg              |
| Die Attach           | 0.63   | mg              | Supplier | Silver (Ag)                  | 7440-22-4        |        | 0.5355   | mg              |
|                      |        |                 | Supplier | Epoxy resins                 | 129915-35-1      |        | 0.0851   | mg              |
|                      |        |                 | Supplier | Polybutadiene polymer        | Proprietary Data |        | 0.0094   | mg              |
| Lead Frame           | 123.0  | mg              | Supplier | Zinc (Zn)                    | 7440-66-6        |        | 0.2337   | mg              |
|                      |        |                 | Supplier | Iron (Fe)                    | 7439-89-6        |        | 3.1857   | mg              |
|                      |        |                 | Supplier | Copper (Cu)                  | 7440-50-8        |        | 119.4084 | mg              |
|                      |        |                 | Supplier | Phosphorus (P)               | 7723-14-0        |        | 0.1722   | mg              |
| Iold Compound-Black  | 210.25 | mg              |          | Phenolic Resin               | proprietary data |        | 10.5125  | mg              |
|                      |        |                 | Supplier | Epoxy Phenol Resin           | Proprietary Data |        | 5.887    | mg              |
|                      |        |                 | Supplier | Carbon Black (C)             | 1333-86-4        |        | 2.1025   | mg              |
|                      |        |                 | Supplier | Aluminum Hydroxide (Al(OH)3) | 21645-51-2       |        | 6.3075   | mg              |
|                      |        |                 | Supplier | Fused Silica (SiO2)          | 60676-86-0       |        | 168.2    | mg              |
|                      |        |                 | Supplier | Ortho-Cresol Novolac Resin   | 29690-82-2       |        | 16.82    | mg              |
|                      |        |                 | Supplier | Silica Crystalline (SiO2)    | 14808-60-7       |        | 0.4205   | mg              |
| lating               | 3.85   | mg              | В        | Bismuth (Bi)                 | 7440-69-9        |        | 0.0231   | mg              |
|                      |        |                 | Supplier | Tin (Sn)                     | 7440-31-5        |        | 3.8269   | mg              |
| Wire Bond - Au       | 0.9    | mg              | Supplier | Gold (Au)                    | 7440-57-5        |        | 0.9      | mg              |