


SW2015






Revision level			Revision Record	Changed	Date	Approved	Date
Drawing	State	Part					
00.0	Design Release		SEE ECN# 014386	MHT	03/30/2018	KAC	03/30/2018





ASSEMBLY EXAMPLE
SCALE 1 : 1.5

PBM9
DELIVERY CONDITION: UNASSEMBLED SET



T50R
DELIVERY CONDITION: UNASSEMBLED SET



INITIAL DESIGN VALIDATION:

PERFORMANCE REQUIREMENTS AT DRY AS MOLDED WITH ≤ 0.5% MOISTURE CONTENT:

- ITS-0026 REV1 MECHANICAL STRENGTH:
EXCEEDED 178 NEWTONS (40 Lbf) IN A 9.0 X 14.0mm SLOT WITH A PLATE THICKNESS OF 3mm

REFERENCE:

- MAXIMUM PANEL THICKNESS: 3.0mm
- NOMINAL HOLE SIZE:
 - A. 9.0mm (ROUND)
 - B. 9.0 X 12.0mm (SLOT)
 - C. 9.0 X 14.0mm (SLOT)

- SLOT OPENING ACCOMMODATES STRAPS UP TO 5.0mm WIDE AND 1.8mm THICK

GLOBAL PART NAME	TYPE	BUNDLE RANGE	CABLE TIE			MOUNT		
			DRAWING	MATERIAL	COLOR	DRAWING	MATERIAL	COLOR
T50RPBM9SET-PA66HIRHSUV-BK	T50RPBM9SET	4 TO 50	CT2050007CST	PA66HIRHSUV	BLACK	17-2492-001-CSU	PA66HIRHSUV	BLACK
T50RPBM9SET-PA12-BK	T50RPBM9SET	4 TO 50	CT2050007CST	PA12	BLACK	17-2492-001-CSU	PA12	BLACK
T50RPBM9SET-POM-BK	T50RPBM9SET	4 TO 50	CT2050007CST	POM	BLACK	17-2492-001-CSU	POM	BLACK

Material SEE CHART	Units: millimeters	The copyright of this drawing is reserved by HellermannTyton. It is issued on condition that it is not reproduced, copied, or disclosed to a third party, either wholly or in part, without the consent of HellermannTyton.	Drawn	MHT	03/12/2018	Article/Type-No	SEE CHART	Scale	1:1
	Dimension without tolerances details to: .xxx = ±.013 .xx = ±.13 .x = ±.3 None = ±.8 ∠ = ±0.5° Dimension Formatted mm/[in]		Approved	KAC	03/12/2018	Title	PUSH BUTTON MOUNT 9mm, WITH T50R CABLE TIE	Project Number	PRP 18-0408
	HellermannTyton North America Email: corp@htamericas.com Web: www.hellermann.tyton.com			Drawing-No	PRODUCTION : Phase		Format	AH	
				18-0408-001-CSU			Sheet	1/1	