

## 4-Port Desktop KVM Switch (USB)

MODEL NUMBER: **B006-VU4-R**



### Description

Tripp Lite's 4-port Desktop USB KVM Switch is the optimal solution for controlling up to 4 USB computers from one VGA monitor and USB keyboard/mouse. Manually switch between connected computers using pushbuttons or hotkey controls; or, monitor connected computers automatically via Auto Scan Mode. The B006-VU4-R is operating system independent, and works with all computers that have an available VGA and USB port. It supports video resolutions up to 2048 x 1536, and features a compact design that does not require software or complicated set-up procedures. Constructed of heavy-duty steel housing. Order P758 Cables separately.

### Features

- Control up to 4 USB computers from a single VGA monitor and USB keyboard/mouse
- Order P758 Cables separately
- Port LEDs illuminate Light Orange to indicate a computer is connected, and Bright Orange to indicate it is the selected port
- Supports video resolutions up to 2048 x 1536, DDC2B
- No software or complicated set-up procedures required
- Manually switch between connected computers via front panel pushbuttons or hotkey commands
- Automatically monitor connected computers via Auto Scan Mode
- Compatible with all major operating systems
- Compatible with most mice; including scroll mice
- Constructed of heavy-duty steel housing

### Highlights

- Control up to 4 USB computers from a single VGA monitor and USB keyboard/mouse
- Switch between connected computers via pushbuttons or hotkey commands
- Auto Scan Mode allows monitoring of connected computers without manually switching between them
- Compatible with all major operating systems
- Supports video resolutions up to 2048 x 1536, DDC2B

### Package Includes

- B006-VU4-R 4-port USB KVM Switch
- External Power Supply with NEMA 1-15P Plug (Input: 100-240V, 50/60Hz, 0.5A / Output: 5.3V, 190mA)
- Owner's manual

## Specifications

### OVERVIEW



Tripp Lite  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
www.tripplite.com

|                                      |  |
|--------------------------------------|--|
| UPC Code                             | 037332152947   |
| AC Adapter                           | Input: 100-240V, 50/60Hz, 0.5A / Output: 5.3V, 190mA |
| Console                              | No   |
| Max CPU                              | 4  |
| <b>PHYSICAL</b>                      |  |
| LCD Monitor (cm)                     | Not Applicable                                       |
| LCD Monitor (in.)                    | N/A  |
| Shipping Dimensions (hwd / cm)       | 8.89 x 24.89 x 22.10                                 |
| Shipping Dimensions (hwd / in.)      | 3.50 x 9.80 x 8.70                                   |
| Shipping Weight (kg)                 | 1.00   |
| Shipping Weight (lbs.)               | 2.20   |
| Unit Dimensions (hwd / cm)           | 4.32 x 20.07 x 7.37                                  |
| Unit Dimensions (hwd / in.)          | 1.7 x 7.9 x 2.9                                      |
| Unit Weight (kg)                     | 0.68   |
| Unit Weight (lbs.)                   | 1.50   |
| <b>COMMUNICATIONS</b>                |  |
| Port Control                         | Push Buttons, Hotkeys                                |
| IP Remote Access                     | No   |
| <b>CONNECTIONS</b>                   |  |
| Ports                                | 4  |
| Computer/Server Ports - Port 1       | (x4) HD15 Male                                       |
| Computer/Server Ports - Port 2       | (x4) USB B Female                                    |
| PC/Server Connections                | USB; VGA   |
| <b>FEATURES &amp; SPECIFICATIONS</b> |  |
| Number of Users                      | 1  |
| NIAP-Certified Secure                | No   |
| Cat5 KVM Switch                      | No   |
| Technology                           | USB; VGA/SVGA  |
| <b>WARRANTY</b>                      |  |
| Product Warranty Period (Worldwide)  | 3-year limited warranty                              |



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>