Mounting Option		<u>Contact Detail</u> PC Tail .046x.014(1.17x0.36) - Tail LG=.213(5.41)		THIS IS A C.A.D. GENERATED DRAWING		Q [ISSUE NUM	
In-Line Card Guides		.156 [3.96] Contact Spacing x .200 [5			DO NOT MAKE MANUAL REVISIONS TO MAS	TER.	ORIGINA	AL ①
0.500[12.70]	0.156[3.96]	6.560 [166. 6.706 [170.	.62] ————————————————————————————————————			SE	CTION A	-A
	A							
]
01] —						.175 [4.45] Point of Cont (FROM BTM OF SLOT)	act /	
0.473 [12.01]	7.302 [185.47] Card SI to .070					rd Slot Accepts .054 [1 070 [1.78] Thick P.C. Bo	.37] pard	—
0.47	/.3UZ[185.4/]							
	Con Annual manual manual form	3	307 / 357 Card Edge Connector					NG MASTER
		F	Part Number: 307-041-421-178			DRAWN: J.LEE	DATE: AL	JG. 11/09
See Accompanying Pages for: Contact Bend DetailsMounting Options		or:	EDAC INC TORONTO, ONTAR		THESE DRAWINGS AND SPECIFICATIONS	CHECKED: SCALE: NTS	DATE: SHEET	1 OF 3
					ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED	DRAWING NUMBER		ISSUE
		Y	YOUR CONNECTION TO QUALITY & SEI		OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	307 Assen	bly	1



