

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13


.XXX ±0.05




ISSUE NUMBER

ORIGINAL

(1)





NOTES:

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628W2WK2222-2NA		ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628W2W	K2222-2NA	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female




27W2 Male/Female



21W1 Male/Female

16.6 23.63

				I Male/Fernale
e	8W8 Fem	nale		
47.05 - 23.03 - 14.48 - 14.48 - 14.48 - 23.03 - 24.02 - 25.03 - 25.05 - 25.03 - 25.05 - 25.	÷ -			
			17W2	2 Male/Female
	IT RATING / ØA			
	0A / 2.2			47.05
	20A / 3.3			23.63 13.6
	30A / 3.7		2	
2	10A / 4.2		ŧ	+ + + + + + + + + + + + + + + + + + +
			COMBINATION	I D-SUB
THIS SERIES FULLY CONFORMS THE EUROPEAN UNION DIRECTI 2011/65/EU FOR RoHS COMPLIAN	VES	YOUR CONNECTION TO	EDAC INC TORONTO, ONTARIO CANADA) QUALITY & SERVICE	THESE DRAWINGS AND S ARE THE PROPERTY OF E SHALL NOT BE REPRODU OR USED AS THE BASIS F MANUFACTURE OR SALE WITHOUT WRITTEN PERM




SPECIFICATIONS F EDAC INC.,AND DUCED,OR COPIED S FOR THE LE OF APPARATUS WITHOUT WRITTEN PERMISSION.

		<u></u>		
SW REFERENCE NO.: 628 COMBO ASSEMBLY				
DRAWN: C.B		DATE: JAN. 01/20	19	
	CHECKED:	DATE:		
	SCALE: N.T.S	SHEET 3 OF	4	
	DRAWING NUMBER: 628W2W	NUMBER: 628W2WK2222-2NA		
PART NUMBER: 628W2WK2222-2NA			1	

5W5 Male


5W5 Female

COMPLIANT



8W8 Male

63.50 31.75 22.97



11W1 Male/Female



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male










36W4 Female




13W3 Male











13W6 Male



43W2 Male





17W5 Female

.X ±0.25 .XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628W2WK2222-2NA		ISSUE
		MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628W2W	WK2222-2NA 1	