ב   ₪ 		D	0	₩	Þ	
	ØS					
	I		LAYOUT SHOWN A	S EXAMPLE		
	Keying Shown as example					
CHARACTERISTICS	Connector dimension					
-Standard : Based on MIL-DTL-38999 Series III	Dim Nominal ØS 25 Max					
-Shell Material : Composite -Shell Plating : Nickel -Insulator : Thermoplastic	Z' 31.5 Max VV THREAD M15x1-6g	SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.)				
-Contacts : Copper Alloy -Seals & Grommet : Silicon Elastomer				ntry Jurisdiction & Contro	allict	
-Contact Plating : Gold over copper Alloy 0.8µm minimum			F			
-Durability : 500 Mating cycles		PN: 8D511M01SNL				
-Delivered without Souriau contacts						
-Temperature Range : -65°C to +200°C -Salt Spray : 2000 hours		A 16-10-2	2016 First Release			
Mass : 14.1 g ± 10%		ISS DAT Designed By:	E Latest modification - by Date:	CUSTOMER	DRAWING	<u>1°</u>
		TITLE	Composite Plug 8D series			
		SCALE	General linea	r NPRDS / F		
BASIC SERIES: 8D 5 - 11 M SHELL TYPE : Plug with RFI Shielding		V/O Contacts NA	Tolerances:	85		
CONTACT TYPE : Standard Crimp Contact					ment is the property of SOURIAU	$\neg$
SHELL SIZE : 11	CONTACT TYPE : SOCKET(		SOURIAU WWW.SOURIAU.COM it must not be reproduced or communicated without permission			
PLATING : M = Nickel	CONTACT LA			U DRG N°	SHEET	
		A3		A01SNL-C	1/2	
		i I I	000111			

Latest modification - by Designed By: Date: NA Designed By: Date: NA Compton SCALE NA Compton SCALE NA Compton SCALE NA Compton SCALE NA Compton SCALE NA Compton SCALE NA Compton SCALE NA Compton SCALE NA Compton SCALE NA Compton SCALE SC		<u>т</u>	۵	וד	т	D	0
If I2       If I2       Image: Second S			Contact Layout				
The second secon	4		01				
Co Co Co Co Co Co Co Co Co Co				1			
Latest modification - by Designed By: Date: NA Designed By: Date: NA Compton SCALE NA Compton SCALE NA Compton SCALE NA Compton SCALE NA Compton SCALE NA Compton SCALE NA Compton SCALE NA Compton SCALE NA Compton SCALE NA Compton SCALE SC	ى		X Y				
the Specifications issued by either or (professional recommenda PN: 8D5111M A 16-10-2016 First Release ISS DATE Latest modification - by Designed By: Date: TITLE Compo SOLLE NA Compo SOLLE NA Compo SOLLE NA Compo SOLLE NA COMPO SOURIAU WWW.SOURIAU.COMPO SOURIAU		-					SOURIAU shall not be liable for any
A 15-10-2016 First Release ISS DATE Latest modification - by Designed By: Date: TITLE Compo SCALE NA General linear Tolerances: ± SOURIAU WWW.SOURIAU.C	2						the Specifications issued by either of (professional recommendat Countr FR
TITLE Compo SCALE NA General linear Tolerances: ± SOURIAU FORMAT SOURIAU.C						ISS DATE	16 First Release Latest modification - by
SOURIAU WWW.SOURIAU.C	_					SCALE	General linear Tolerances:
A3 SOURIAU						SOURIA	J WWW.SOURIAU.C
H G F E D C		H	G	F	E	A3	8D511M(

σ	A	_			
		4			
		3			
any non-conformit which does not co r of the Parties or k dation, technical no ntry Jurisd R MO1SNL	mply with by a third party	2			
	MOD N° CUSTOMER DRAWING				
posite Plug 8D series					
r	NPRDS / PROJECT 859	1			
.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission					
U DRG N° /101SNL-C	SHEET 2/2				
B	A				