HellermannTyton

Specification Sheet

Part Number: SNP12AGHS0M4

Installation and removal can be five times faster than conventional clamps

Heat stabilized material is suitable for high temperature applications.

Completely reusable

.

.

Will not rust or corrode

Safety engineered.

No protruding band or cluster.

Can be installed with hose in place



One-hand installation for tight places.

Snapper Hose Clamp, 0.62 - 0.72" Bundle Diameter, PA66GF13, Black, 1000/pkg

Article Number

190-00255

Туре

SNP12A

Color

Black (BK)

Quantity Per	bag
Product Description	HellermannTyton snapper hose clamps are designed to provide a quick, ratcheted closure reducing installation time. The design also allows the clamp to be easily removed and re-applied when necessary. Snappers are made of high performing materials providing stability in a variety of diverse environments. Available in 32 standard sizes.
Short Description	Snapper Hose Clamp, 0.62 - 0.72" Bundle Diameter, PA66GF13, Black, 1000/pkg
Global Part Name	SNP12A-PA66GF13-BK
Fixation Method	Plug-in mounting
Variant	Closed
Bundle Diameter Min (Imperial)	0.61
Bundle Diameter Min (Metric)	15.6
Bundle Diameter Max (Imperial)	0.72
Bundle Diameter Max (Metric)	18.3
Wall Thickness WT (Imperial)	.070
Wall Thickness WT (Metric)	1.78

Material	Polyamide 6.6 glass filled impact modified heat stabilized (PA66GF13%)
Material Shortcut	PA66GF13
Flammability	UL 94 HB
UV Resistant (Yes/No)	No
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
Package Quantity (Imperial)	1000
Package Quantity (Metric)	1000
Customs Number	3926909988

© 2023 HellermannTyton. All Rights Reserved.				
Contact Us	RoHS/WEEE Compliance	Disclaimer	Terms and Conditions	