




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

\land \Box	L
	Г
	┝
	L









NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/2019	
			CHECKED:	DATE:	
			SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
		SHALL NOT BE REPRODUCED OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-21W	4624-2TA	ISSUE
YOUR CONNECTION TO QUALITY & SERV	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-21W	4624-2TA	1






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED ORIGINAL DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05






3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)


628-21W4624-2TA

21W4 Male/Female

PART NUMBER:

5W5 Male	8W8 Male				¢		
- 23.63 - 14.42 14.42 			33.30 3.30 4.30		63.50 31.75 00 0.70 00 0.70		
		11	W1 Male/Female	27W2 Male/Femal	e		
5W5 Female	47.05 47	ale 31.75 72.83 22.83 22.87 0 0 0 0 0 0 0 0	33.30 16.66 9.70 a.31 0 + + + + + + + + + + + + + + + + + + +		31.75 31.75 15.24 +++++++ +++++++ 2		
		17	W2 Male/Female	21W1 Male/Femal	e		
	CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		47.06 23.63 13.85 13.85 23.63 23.63 23.65 25.65 25.55		47.05 23.03 4 4 4 4 4 4 4 4 4 4 4 4 4	•	
			SW REFERENCE NO.: 628 C	OMBO ASSEMBLY			
		COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/201	19	
				CHECKED:	DATE:		
	ERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4	
	EUROPEAN UNION DIRECTIVES /65/EU FOR RoHS COMPLIANCY.	HE EUROPEAN UNION DIRECTIVES TORONTO, ONTA		OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 028-21W4024-21A		ISSUE
COMPLIANT		YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION	PART NUMBER: 628-21W	4624-2TA	1	

WITHOUT WRITTEN PERMISSION.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male



47.00

23.53







36W4 Female




13W3 Male


3

3










13W6 Male



43W2 Male






.X ±0.25 .XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female




43W2 Female

47W1 Female




17W5 Male


COMPLIANT











			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
			CHECKED:	DATE:		
CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4	
NION DIRECTIVES HS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-21W4624-2TA		ISSUE	
			PART NUMBER: 628-21W	4624-2TA	1	



2011/65/EU FOR RoHS

17W5 Female





