

NOTES:

MATERIAL:


.XX ±0.13 .XXX ±0.05

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE:  $10m\Omega$  MAX. INSULATOR RESISTANCE:  $5000M\Omega$  min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/2019		
			CHECKED:	DATE:		
	EDAG INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
			DRAWING NUMBER: 628-36W4224-5TD		ISSUE	
			PART NUMBER: 628-36W	4224-5TD	1	






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female






(1)

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

628-36W4224-5TD

4

ISSUE

1

		-			
		11W1	Male/Female		
8W8	Female		33.30		
		an Brin			
		17W2	Male/Female		
CURRENT RATING / $\phi$ A					
10A / 2.2			+= <u>47.05</u> =+		
20A / 3.3 30A / 3.7 40A / 4.2		24			
	C	COMBINATION D-SUB			
SERIES FULLY CONFORMS TO EUROPEAN UNION DIRECTIVES 1/65/EU FOR RoHS COMPLIANCY.		EDAC INC ORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIEI OR USED AS THE BASIS FOR THE		


YOUR CONNECTION TO QUALITY & SERVICE

628 COMBO ASSEMBLY SW REFERENCE NO .: DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: NS SHEET 3 OF SCALE: N.T.S ١D PIED 628-36W4224-5TD DRAWING NUMBER:


PART NUMBER:


5W5 Male

5W5 Female



8W8 Male





MANUFACTURE OR SALE OF APPARATUS

WITHOUT WRITTEN PERMISSION.

COMPLIANT

THIS S THE E 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25








25W3 Male











36W4 Female





13W3 Male



36W4 Male








13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male


COMPLIANT











				SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.			DRAWING NUMBER: 628-36W	4224-5TD	ISSUE	
			PART NUMBER: 628-36W	4224-5TD	1	



