



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)





NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/201	19	
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-11W	1224-2NB	ISSUE
			PART NUMBER: 627-11W	1224-2NB	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



2W2 / 2WK2

3W3 / 3WK3



7W2 Male/Female





 $\overline{(1)}$

21W4 Male/Female



27W2 Male/Female




21W1 Male/Female

16.5

	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
COMBINATION			DATE: JAN. 01/20	19		
			DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 3 OF	4		
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627-11W	1224-2NB	ISSUE		
YOUR CONNECTION TO QUALITY & SERVICE	YOUR CONNECTION TO QUALITY & SERVICE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.		1224-2NB	1		

5W5 Male

5W5 Female



47.05


23.53

8W8 Male


8W8 Female

31.75

22.83



22.97



11W1 Male/Female



17W2 Male/Female

40A / 4.2

CURRENT RATING / ØA 10A / 2.2 20A / 3.3

30A / 3.7



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




25W3 Female


36W4 Female





25W3 Male






47.02 23.53 14.51 9.70 7.79 퀵 9


.X ±0.25 .XX


±0.13 .XXX ±0.05

9W4 Female


13W3 Female







13W3 Male






20.70 30.50 13.72 16.62 15.24



30.50 20.70 16.62 13.72 2.77


13W6 Male



43W2 Male











47W1 Female




17W5 Male



47W1 Male







2.77

	SW REFERENCE NO.: 627 C	OMBO ASSEMBLY	
	DRAWN: C.B	DATE: JAN. 01/2019	
	CHECKED:	DATE:	
GS AND SPECIFICATIONS	SCALE: N.T.S	SHEET 4 OF 4	
REPRODUCED, OR COPIED E BASIS FOR THE	DRAWING NUMBER: 627-11W ⁷	1224-2NB ISSUE	
OR SALE OF APPARATUS TEN PERMISSION.	PART NUMBER: 627-11W ⁷	1224-2NB 1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	COMBINATION	D-SUB
YOUR CONNECTION TO	EDAC INC TORONTO, ONTARIO CANADA) QUALITY & SERVICE	THESE DRAWINGS AND SPECIFI ARE THE PROPERTY OF EDAC IN SHALL NOT BE REPRODUCED,OI OR USED AS THE BASIS FOR THI MANUFACTURE OR SALE OF APP WITHOUT WRITTEN PERMISSION

17W5 Female



