

Contact Dimensions: 500-Wire Hole .050x.025(1.27x0.64) - Tail LG=.260(6.60) .100 (2.54) Contact Spacing x .200 (5.08) Row Spacing

THIS IS A C.A.D. GENERATED DRAWING
DO NOT MAKE MANUAL REVISIONS TO MAS

ORIGINAL





- INSULATOR MATERIAL: THERMOPLASTIC PBT BLACK, UL 94V-0
   CONTACT MATERIAL: COPPER TIN ALLOY
- CONTACT MATERIAL; COPPER TIN ALLOY
   CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE



	345/395 SERIES CARD EDGE CONNECTOR			ACAD REFERENCE NO. 345-ENG-MASTER  DRAWN: R.STA.MONICA DATE:MAY.16/2017			
				CHECKED:		DATE:	
APE THE PROPERTY OF FRACTION AND AND AND AND AND AND AND AND AND AN		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS	SCALE:	1:1	SHEET 1	OF 2
		CANADA	SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER			ISSUE
CANADA TON OSES AS THE SASS TON				345-ENG-MASTER			1









**Contact Code 558** 

Contact Code 559

Contact Code 560

INSULATOR MATERIAL: THERMOPLASTIC POLYESTER, UL 94V-0 DAP MATERIAL AVAILABLE UPON REQUEST

CONTACT MATERIAL; COPPER ALLOY CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE

345/395 SERIES CARD EDGE CONNECTOR CONTACT CODE 555,556,558,559,560 DIMENSIONS

YOUR CONNECTION TO QUALITY & SERVICE

ACAD REFERENCE NO. 345-ENG-MASTER DATE:MAY.16/2017 DRAWN: R.STA.MONICA 1:1 SHEET 2 OF 2

345-ENG-MASTER