	ت D	- m		
4	Z Multiple de la companya de la comp			4
ယ			LAYOUT SHOWN AS EXAMPLE	3
		Keying Shown as example		
	CHARACTERISTICS Standard : Based on MIL-DTL-38999 Series III	Connector dimensionDimNominalF22.25 Max		
	-Shell Material: Aluminium-Shell Plating: Black Zinc Nickel-Insulator: Thermoplastic-Contacts: Copper Alloy	IIIIZ31.5 MaxVV THREADM18x1-6g	SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.)	
	-Seals & Grommet : Silicon Elastomer -Contact Plating : Gold over copper Alloy 0.8µm minimum		CountryJurisdiction & Control ListFRNot Listed	2
	-Durability : 500 Mating cycles -Delivered with Souriau contacts and Accessories		PN: 8D113Z08AN	
	-Temperature Range : -65°C to +175°C -Salt Spray : 500 hours		A 27-09-2016 First Release	
_			ISS DATE Latest modification - by MOD N° Designed By: Date: CUSTOMER DRAWING	
			TITLE Aluminium Inline plug 8D series	
-	BASIC SERIES: 8D 1 - 13 Z SHELL TYPE : In line Receptacle	08 A N	SCALE General linear NPRDS / PROJECT NA Tolerances: 859	1
	CONTACT TYPE : Standard Crimp Contact SHELL SIZE : 13	ORIENTA CONTACT TYPE : PIN(500 M		
-	PLATING : Z = Black Zinc Nickel	CONTACT TITL : FIN(500 F	JT:13-08 FORMAT SOURIAU DRG N° SHEET	
L	H G I	F	A3 8D113Z08AN-C 1/2 D C B A	

	Т	۵	т	п		0	Φ	Þ		,
		Contact Layout								
4		(Insert arrangement 13-8)								4
		Contact position ID Contact location X-axis (mm) Y-axis (mm) A +.065 (1.65) +.157 (3.99) B +.170 (4.32) +.000 (0.00) C +.120 (3.05) 120 (3.05) D ·.000 (0.00) 170 (4.32) E 120 (3.05) 120 (3.05) F 170 (4.32) +.000 (0.00) G 065 (1.65) +.157 (3.99) H +.000 (0.00) +.044 (1.12)								
ω	Shell Arrangement size no. 13 -8									3
						SOURIAU shall not be liab due to a use of the Pro	le for any non-conformity ducts which does not com			
						the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.)				
N								tion & Control List Not Listed		2
				PN: 8D113Z08AN						
						First Release				
					ISS DATE Designed By:	Latest modification - by Date:		CUSTOMER DRAWING	MOD N°	
					TITLE	Alun	ninium Inline plug	8D series		
_					SCALE -	Genera Tolera	ances:	NPRDS / PROJECT 859		
					NA ± COS SOURIAU WWW.SOURIAU.COM This document is the properties of the source of the					1
					FORMAT A3		RIAU DRG N° 13Z08AN-C		SHEET 2/2	
	Н	G	F	E	D	C	B	A		J