

ZCKE05TK

Limit switch head, Limit switches XC Standard,
ZCKE, without lever left and right actuation





Main

| | |
|----------------------------|--|
| Range of Product | Telemecanique Limit switches XC Standard |
| Series name | Standard format |
| Product or Component Type | Limit switch head |
| Device short name | ZCKE |
| Head type | Rotary head |
| Product Compatibility | XCKJ |
| Associated lever | ZCKY43 ZCKY81 ZCKY11 ZCKY14 ZCKY13 ZCKY41 ZCKY51 ZCKY52 ZCKY53 ZCKY59 ZCKY91 |
| Associated body | ZCKJD35H7 ZCKJ21 ZCKJ2H29 ZCKJ4H29 ZCKJD37H7 ZCKJD35H29 ZCKJ41 ZCKJ21H7 ZCKJ4H7 ZCKJD31 ZCKJ404H29 ZCKJ8H7 ZCKJ5H29 ZCKJ9H7 ZCKJD39H7 ZCKJ1H7 ZCKJD31H29 ZCKJ4104 ZCKJ9H29 ZCKJ6 ZCKJ6H29 ZCKJ8H29 ZCKJ7H7 ZCKJD39 ZCKJ6H7 ZCKJ404H7 ZCKJD37H29 ZCKJ41H29 ZCKJ9 ZCKJ11H7 ZCKJ7H29 ZCKJ2 ZCKJD37 ZCKJ404 ZCKJ4104H7 ZCKJ21H29 ZCKJ7 ZCKJ5H7 ZCKJD31H7 ZCKJ4104H29 ZCKJ8 ZCKJ5 ZCKJD35 ZCKJ1H29 ZCKJ1 ZCKJ41H7 ZCKJ11 ZCKJ4 ZCKJD39H29 ZCKJ2H7 ZCKJ11H29 |
| Movement of operating head | Rotary |

| | |
|------------------|---|
| Type of operator | Without operating lever spring return |
| Type of approach | Lateral approach, 1 or 2 programmable direction |

Complementary

| | |
|------------------|---|
| Switch actuation | From left and/or right CW and/or CCW |
| Positive opening | With |
| Head material | Metal |

Environment

| | |
|---------------------------------------|----------------------------|
| Ambient Air Temperature for Operation | -13...158 °F (-25...70 °C) |
| Ambient Air Temperature for Storage | -40...158 °F (-40...70 °C) |
| Environmental characteristic | Corrosive |

Ordering and shipping details

| | |
|-----------------------|-------------------------------|
| Category | 22411-LIMIT SWITCHES,IEC,XCKJ |
| Discount Schedule | T |
| GTIN | 3389110599367 |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 6.17 oz (175.0 g) |
| Returnability | No |
| Country of origin | FR |

Packing Units

| | |
|------------------------------|------------------------|
| Unit Type of Package 1 | PCE |
| Package 1 Height | 1.65 in (4.2 cm) |
| Package 1 width | 1.77 in (4.5 cm) |
| Package 1 Length | 3.43 in (8.7 cm) |
| Unit Type of Package 2 | S01 |
| Number of Units in Package 2 | 14 |
| Package 2 Weight | 5.78 lb(US) (2.622 kg) |
| Package 2 Height | 5.91 in (15 cm) |
| Package 2 width | 5.91 in (15 cm) |
| Package 2 Length | 15.75 in (40 cm) |

Offer Sustainability

| | |
|----------------------------|---|
| Sustainable offer status | Green Premium product |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation | REACH Declaration |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| Environmental Disclosure | Product Environmental Profile |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|