

Material Safety Data Sheet

Copyright, 2002, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This material safety data sheet (MSDS) is provided as a courtesy in response to a customer request. This product is not regulated under, and a MSDS is not required for this product by the OSHA Hazard Communication Standard (29 CFR 1910.1200) because, when used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may present potential health and safety hazards.

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: 3M ™5830, 5836, 5838, 5840, 5842, 5844, 5846 CLEAN WALK MAT.
MANUFACTURER: 3M
DIVISION: Industrial Tape And Specialties Division

ADDRESS: 3M Center St. Paul, MN 55144-1000

EMERGENCY PHONE: 1-800-364-3577 or (651) 737-6501 (24 hours)

Issue Date: 06/21/2002 **Supercedes Date:** 06/21/2002

Document Group: 08-4382-1

Product Use:

Intended Use:

General Use:

FLOOR MAT WITH ADHESIVE COATING FACING UPWARD TO CLEAN OFF SHOES BEFORE ENTERING A CLEAN ROOM, ETC. Floor mat with adhesive coating facing upward to clean shows before entering a cleanroom

SECTION 2: INGREDIENTS

Ingredient ACRYLIC ADHESIVE POLYETHYLENE BACKING <u>C.A.S. No.</u> Trade Secret 9002-88-4 <u>% by Wt</u> Approximately 30 Approximately 70

SECTION 3: HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

3M MATERIAL SAFETY DATA SHEET 3M TM 5830, 5836, 5838, 5840, 5842, 5844, 5846 CLEAN WALK MAT. 06/21/2002

Odor, Color, Grade: tacky floor mat, slight acrylic odor.

General Physical Form: Solid Immediate health, physical, and environmental hazards: This product, when used under reasonable conditions and in accordance with the 3M directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

3.2 POTENTIAL HEALTH EFFECTS

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Inhalation: No health effects are expected.

Ingestion: No health effects are expected.

SECTION 4: FIRST AID MEASURES

4.1 FIRST AID PROCEDURES

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

Eye Contact: No need for first aid is anticipated.

Skin Contact: No need for first aid is anticipated.

Inhalation: No need for first aid is anticipated.

If Swallowed: No need for first aid is anticipated.

SECTION 5: FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES

Autoignition temperature Flash Point Flammable Limits - LEL *Not Applicable* Approximately 341 °F *Not Applicable*

3M MATERIAL SAFETY DATA SHEET 3M ™5830, 5836, 5838, 5840, 5842, 5844, 5846 CLEAN WALK MAT. 06/21/2002

Flammable Limits - UEL	Not Applicable
OSHA Flammability Classification:	Not Applicable

5.2 EXTINGUISHING MEDIA

Ordinary combustible material. Use fire extinguishers with class A extinguishing agents (e.g., water, foam).

5.3 PROTECTION OF FIRE FIGHTERS

Special Fire Fighting Procedures: ***Missing Data***

Unusual Fire and Explosion Hazards: No unusual effects are anticipated during fire extinguishing operations. Avoid breathing the products and substances that may result from the thermal decomposition of the product or the other substances in the fire zone. Keep containers cool with water spray when exposed to fire to avoid rupture.

Note: See STABILITY AND REACTIVITY (SECTION 10) for hazardous combustion and thermal decomposition information.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Not applicable.

Not applicable.

SECTION 7: HANDLING AND STORAGE

7.1 HANDLING

For industrial or professional use only.

7.2 STORAGE

Not applicable.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 ENGINEERING CONTROLS

Not applicable.

8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

8.2.1 Eye/Face Protection

The following eye protection(s) are recommended: Safety Glasses with side shields.

8.2.2 Skin Protection

Not applicable.

3M MATERIAL SAFETY DATA SHEET 3M TM 5830, 5836, 5838, 5840, 5842, 5844, 5846 CLEAN WALK MAT. 06/21/2002

8.2.3 Respiratory Protection

Not applicable.

8.2.4 Prevention of Swallowing

Not applicable.

8.3 EXPOSURE GUIDELINES

None Established

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Odor, Color, Grade: General Physical Form: Autoignition temperature **Flash Point Flammable Limits - LEL Flammable Limits - UEL Boiling point** Density Vapor Density Vapor Density Vapor Pressure Vapor Pressure **Specific Gravity** pН **Melting point Solubility In Water** Solubility in Water **Evaporation rate Volatile Organic Compounds Percent volatile** VOC Less H2O & Exempt Solvents Viscosity

tacky floor mat, slight acrylic odor. Solid Not Applicable Approximately 341 °F Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Nil Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Nil Not Applicable No Data Available No Data Available Not Applicable Not Applicable

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable.

Materials and Conditions to Avoid: Strong oxidizing agents

Hazardous Polymerization: Hazardous polymerization will not occur.

Hazardous Decomposition or By-Products

Substance

Aldehydes

<u>Condition</u> Oxidation, heat or reaction

3M MATERIAL SAFETY DATA SHEET 3M TM5830, 5836, 5838, 5840, 5842, 5844, 5846 CLEAN WALK MAT. 06/21/2002

Hydrocarbons Carbon monoxide Carbon dioxide Irritant Vapors or Gases Oxidation, heat or reaction Oxidation, heat or reaction Oxidation, heat or reaction Oxidation, heat or reaction

SECTION 11: TOXICOLOGICAL INFORMATION

Please contact the address listed on the first page of the MSDS for Toxicological Information on this material and/or its components.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

Not Applicable

CHEMICAL FATE INFORMATION

Not Applicable

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of waste product in a sanitary landfill. As a disposal alternative, incinerate in an industrial or commercial facility.

Since regulations vary, consult applicable regulations or authorities before disposal.

SECTION 14:TRANSPORT INFORMATION

Please contact the emergency numbers listed on the first page of the MSDS for Transportation Information for this material.

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard - No

STATE REGULATIONS

CHEMICAL INVENTORIES

INTERNATIONAL REGULATIONS

This MSDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: OTHER INFORMATION

NFPA Hazard Classification

Health: 0 Flammability: 1 Reactivity: 0 Special Hazards: None

National Fire Protection Agency Hazard Codes are designed for use by firefighters, sheriffs, or other emergency response teams who are concerned with the hazards of burning or exploding materials. These NFPA codes are not intended to address the hazards of this product other than in a fire situation.

HMIS Hazard Classification

Health: 0 Flammability: 0 Reactivity: 0 Protection: A

HMIS codes are intended for use in everyday workplace settings to provide a rapid indication of the occupational hazards associated with chemicals used in the workplace.

Revision Changes:

Section 3: Potential effects from eye contact was modified.

- Section 3: Potential effects from skin contact information was modified.
- Section 3: Potential effects from inhalation information was modified.

Section 4: First aid for eye contact information was added.

- Section 4: First aid for inhalation information was added.
- Section 4: First aid for skin contact information was added.
- Section 4: First aid for eye contact information was deleted.
- Section 4: First aid for eye contact information was deleted.
- Section 4: First aid for skin contact information was deleted.
- Section 4: First aid for skin contact information was deleted.
- Section 4: First aid for inhalation information was deleted.
- Section 4: First aid for inhalation information was deleted.

DISCLAIMER: The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF

3M MATERIAL SAFETY DATA SHEET 3M TM 5830, 5836, 5838, 5840, 5842, 5844, 5846 CLEAN WALK MAT. 06/21/2002

TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.

3M MSDSs are available at www.3M.com