ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES® international and	. IPC. Bannock	burn. Illinois. A	All rights reserved untions.	under both	This docume level parts, t	ent is a declarat	ion of the s encompasse	ubstances s all lowe	within the n r level mate	nanufacture rials for wh	er listed iten ich the mar	n. Note: i nufacture	if the item is an as r has engineering	sembly with lowe responsibility.
				Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					ous Materia	als and Mfg Information			
Supplier Information														
Company name*			Company unique ID			Unique ID Authority					Response Date*			
onsemi											2023-06-08 Email - Contact*			
Contact Name Title - Con Product-Env-Stewards Product Env			uct Enviro Compliance			Phone - Contact* NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Tit			Title - Representative			Phone - Representative*				Email - Representative*				
Product-Env-Stewards Pro			Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	mber Mfr Item Number		ber Mfr Item Name			Effective Date	e Version	1	Manufacturing Site		We	eight*	UOM	Unit Type
	NCV612	NCV612SQ27T2G ACMOST		IOS1 LDO REGULATOR		2023-06-08		1	MY1		6.2	2	mg	Each
Manufacturing Proccess Inforn	nation										·			
Terminal Plating / Grid Array	Terminal Plating / Grid Array Material Terminal Base A		Alloy	J-STD-020 MSL Rating		Peak Process Body Temperature		re Max Time at Peak Tempera		Femperature	e Numb	per of Reflow Cyc	eles	
Matte Tin (Sn) - annealed CU Alloy				1		260		С	30		seconds	3		
Comments														
evel 1 - maximum time at peak temper	ature during so	ldering is 10-3	0 seconds											
or more information regarding mater	al composition	please refer to	o page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a that agreement, will be the sole and exclusives	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ess of the applicable quantity limit identified above may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union membe we independently verified such information. How heir contributions to the part, and those certificat and those of that agreement, including any warra	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	(Pb). Mercury (Hg). Hexavalent Chromium (Cr6+). Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Éthers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl (phthalate (BBP). Dibutyl phthalate (DBP), Diisobuyl phthalate (DBP). er any homogeneous material (as defined by the RoHS Directive, EU 2011/55/EU and implemented by the laws of the European Union member states) of the part is discussed biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part is an assembly with lower level components, the declaration shall omponents. Supplier cartifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information. However, in situations where Supplier the est has a minimum, itsuppliers have provided cartifications are at least such at a minimum, itsuppliers have provided cartifications regarding their contributions to the part, and those certifications are at least such aromprehensite as the asystem of the Company and the Supplier renter into a written agreement, thing errems, and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the contain gresponse in the RoHS Directive. Supplier Acceptance * Accepted cell 01/534/EU Supplier Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and ch											
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	h. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material Weight		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.19	mg	Supplier	Silicon (Si)	7440-21-3		0.19	mg	
Die Attach	0.12	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.078	mg	
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.042	mg	
Lead Frame	1.92	mg	Supplier	Silver (Ag)	7440-22-4		0.0384	mg	
			В	Nickel (Ni)	7440-02-0		0.697	mg	
			Supplier	Iron (Fe)	7439-89-6		0.9638	mg	
			Supplier	Copper (Cu)	7440-50-8		0.2208	mg	
Mold Compound-Black	3.9	mg		Epoxy resin	proprietary data		0.195	mg	
			Supplier	Phenolic Resin	Proprietary Data		0.195	mg	
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.078	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0195	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		3.4125	mg	
Plating	0.05	mg	Supplier	Tin (Sn)	7440-31-5		0.05	mg	
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).