**Mounting Option Contact Detail** Wire Hole .089x.014(2.29x0.36) - Tail LG=.213(5.41) .116 (2.95) I.D. Floating Eyelets .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing 0.156[3.96] 0.500[12.70] 6.872 [174.55] --7.018<sup>[178.26]</sup> -7.304<sup>[185.52]</sup>-EDRG

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

ORIGINAL

**SECTION A-A** 



Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board

-7.614[193.40]·

**See Accompanying Pages for:** 

- **Contact Bend Details**
- **Mounting Options**

0.473[12.01]

307 / 357 Card Edge Connector Part Number: 357-043-401-103



**EDAC INC** TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO. 307 ENG MASTER DRAWN: DATE: AUG. 11/09 J.LEE CHECKED: DATE: SCALE: SHEET OF 3 DRAWING NUMBER **ISSUE** 

307 Assembly



