## Data sheet | Item number: 280-438

Operating tool; made of insulating material; 8-way

www.wago.com/280-438





# Data Technical data

Main product function	Operating tool
Number of spacings	8 -way

## Physical data

Depth	150 mm / 5.91 inches
Pin spacing	5/5.08 mm

## **Mechanical Data**

r male and female connectors with CAGE CLAMP® connection
r male and female connectors with CAGE CLAMP $^{ exttt{ iny e}}$ connectior

#### **Material Data**

Fire load	0.915 MJ
Weight	30.8 g

#### Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

### Data sheet | Item number: 280-438

www.wago.com/280-438



ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	30 (1) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332277334
Customs tariff number	82055980000

### **Environmental Product Compliance**

RoHS Compliance Status Compliant, No Exemption

# Downloads Documentation

Bid Text

Dia Text

280-438 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
280-438 doc - Datei	2017 Sep 11	doc 24.1 kB	Download

## **Environmental Product Compliance**

Compliance Search

Environmental Product Compliance 280-438 URL Download Operating tool; made of insulating material; 8-way

## **Installation Notes**

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

## Data sheet | Item number: 280-438

www.wago.com/280-438





Inserting a male connector via multipole operating tool.

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.