


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




**ISSUE NUMBER** 


ORIGINAL

(1)





## NOTES:




MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


SW REFERENCE NO .: 628 COMBO ASSEMBLY COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS OF SCALE: (IN C.A.D. 1:1) SHEET 1 4 EDAC INC ARE THE PROPERTY OF EDAC INC..AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 628-17W2224-5T4 DRAWING NUMBER: ISSUE OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARATUS 1 YOUR CONNECTION TO QUALITY & SERVICE PART NUMBER: 628-17W2224-5T4 WITHOUT WRITTEN PERMISSION.





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

5W5 Male

5W5 Female

3W3 / 3WK3

5W1 Male/Female






21W4 Male/Female



Female




Female



		11W1	Male/Female	27W2 Male/Fe
23.53 40 40 80 80 80 80 80 80 80 80 80 80 80 80 80	emale 53.50 31.75 22.83 22.97 25.97 2		33.30 19.65 9.70	
		17W2	Male/Female	21W1 Male/Fe
CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		24	47.05 23.05 13.85 0 0 0 0 0 0 0 0 0 0 0 0 0	¥2
				SW REFERENCE NO.:
COMBINATION D-SUB		D-SUB	DRAWN: C.B	
				CHECKED:
JLLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S
N UNION DIRECTIVES		ONTO, ONTARIO	SHALL NOT BE REPRODUCED, OR COPIED	DRAWING NUMBER: 628-



23.53







7W2 Male/Female


47.0/

8W8 Male





COMPLIANT



CHECKED:	COMBINATION D-SUB		DRAWN:	C.B	
			CHECKEI	):	
THESE DRAWINGS AND SPECIFICATIONS         SCALE:         N.T.S	EDAC INC		SCALE:	N.T.S	
CANADA OR USED AS THE BASIS FOR THE DRAWING NUMBER: 6	CANADA OR		DRAWING	NUMBER:	628
			PART NU	MBER:	628

SW REFERENCE NO .:			
DRAWN: C.B DATE: JAN. 01/2			19
CHECKED:	DATE:		
SCALE: N.T.S	SHEET	3 OF	4
DRAWING NUMBER: 62	8-17W2224-5T4	ISSUE	
PART NUMBER: 628-17W2224-5T4			1

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male



47.00 23.53 23.53 47.00 9.70 14.51 9.32 14.51 9.32 14.51 9.70 14.51 9.70 14.51 9.70 14.51 9.70 9.



36W4 Female



13W3 Male





51.00 30.50 13.72 16.62 5.74 15.24 1





13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT











		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	)19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	CANADA OR USED AS THE BASIS FOR THE	SCALE: N.T.S	SHEET 4 OF	4	
		MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER: 628-17W2224-5T4		ISSUE
			PART NUMBER: 628-17W	2224-5T4	1