Mounting Option In-Line Card Guides		Contact Detail Wire Wrap .046x.014(1.17x0.36) - Tail LG=.495(1.156 [3.96] Contact Spacing x .200 [5.08] Row Spa		THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER		ISSUE NUMBI ORIGINAL	
0.500[12.70]	0.156[3.96]	6.872[174.55] —— 7.018[178.26] —— 7.304[185.52]			SECT	ΠΟΝ Α-	·A
	A						
.01] —	A				75 [4.45] Point of Contact ROM BTM OF SLOT)	_/	
0.473[12.01]	◄	7.614[193.40]		Card S to .070	Slot Accepts .054 [1.37]) [1.78] Thick P.C. Board	,	_
_		307 / 357 (Card Edge Conn	ector	ACAD REFERENCE NO.	307 ENG	G MASTER
				DRAWN: J.LEE	DATE: AUG	<i>3</i> . 11/09	
 See Accompanying Pages for: Contact Bend Details Mounting Options 		Part Number: 307-043-441-178		CHECKED:	DATE:		
			EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: NTS	1	
			TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER		ISSUE
		YOUR CONNECTION	N TO QUALITY & SERVICE		307 Assembly		1



