
THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)

ORIGINAL





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

.X ±0.25 .XX ±0.13

.XXX ±0.05

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




	COMBINATION D-SUB		SW REFERENCE NO.: 630 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-36W4240-7NE		ISSUE
			PART NUMBER: 630-36W4	4240-7NE	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

		2
0000		





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female



21W4 Male/Female




ISSUE NUMBER

 $\overline{(1)}$




5W5 Female







PCB EDGE



POB EDGE



27W2 Male/Female



21W1 Male/Female





	COMBINATION D-SUB		SW REFERENCE NO.: 630 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/2019		
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4	
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-36W	4240-7NE	ISSUE	
YOUF	ONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-36W	4240-7NE	1	

23.63 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.48 - 14.


PCB EDGE







17W2 Male/Female



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

PCB EDGE



THIS SERIES FULLY CONFORMS TO

30A / 3.7 40A / 4.2

CURRENT RATING / ØA

10A / 2.2 20A / 3.3





 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25
















13W3 Male






25W3 Male






.XX ±0.13 .XXX ±0.05




31.75

36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

13W6 Female

24.77

43W2 Female




17W5 Male


COMPLIANT













20.70

13.72

PCB EDGE



PCB EDGE



		SW REFERENCE NO.: 630 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES	EDAGE EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 630-36W	4240-7NE	ISSUE
			PART NUMBER: 630-36W	4240-7NE	1