	т		G		п			т		D		O
4 3		R 6 Max	V Thread				S	ØA				
					Keying	shown	as example					
	CHARACTERISTICS				, -	Г			-			
	-Standard : Based on MIL-	DTL-38999 Series	; 111			F	Dim	r dimension Nominal	_			
2	-Shell Plating : 1 -Insulator : 1 -Contacts : 1 -Seals & Grommet : 1 -Contact Plating : 1 -Durability : 1	500 Mating cycle	r Alloy 0.8μm mini s	mum			A B R S W VV THREAD	34.9±0.3 19.07+0.1/-0.15 32.5Max 31.8±0.4 2.2+0.9/-0.1 M15x1-6g				SOURIAU shal due to a us the Specification (profes
	-Delivered with Souriau co	-65°C to +200°C	sories									
		500 hours								A	30-09-2016	First Release
										ISS Designe	DATE ed By:	Latest modifica
											TITLE	
	BASIC SERIES:	8D	7 - 11	К	02 B	D				SCA	LE _	
-	SHELL TYPE : Jam nut Rec	ceptacle								N/		$\neg \Psi$
	CONTACT TYPE : Standa	rd Crimp Contact	t i i i i i i i i i i i i i i i i i i i					ORIE	NTATION : D	SO	URIAU	wwv
	SHELL SIZE : 11						CONTA	CT TYPE : SOCKET(5	600 Matings)			
	PLATING : K = Pas	sivated						CONTACT LAY	OUT : 11-02	FORM		
			<u> </u>		-				1			
	Н	1	G	I	F		I	E	/	D	I	С

 $\mathbf{\mathbf{n}}$

	4					
LAYOUT SHOWN AS EXAMPLE	3					
all not be liable for any non-conformity or damage use of the Products which does not comply with ons issued by either of the Parties or by a third party essional recommendation, technical notice.) Country Jurisdiction & Control List FR Not Listed						
ation - by MOD N° te: CUSTOMER DRAWING						
Stainless Steel Receptacle 8D series General linear NPRDS / PROJECT Tolerances: 859 ± This document is the property of						
SOURIAU.COM SOURIAU it must not be reproduced or communicated without permission SOURIAU DRG N° SHEET 8D711K02BD-C 1/2 B A						

ſ	T G	т (П		
4	$\underbrace{\text{Contact Layout}}_{X}$		Panel cutout JAM NUT RECEPTACLE (TYPE 7)	4
ω	Contact position ID Contact location (mm) Y-axis (mm) A +.095 (2.41) +.000 (.00) B 095 (2.41) +.000 (.00)		Dim Nominal B 19.59+0/-0.25 ØC 20.96+0.25/-0	3
2			SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.) Country Jurisdiction & Control List FR Not Listed	2
			PN: 8D711K02BD A 30-09-2016 First Release ISS DATE Latest modification - by MO	OD N°
			Designed By: Date: CUSTOMER DRAWING TITLE Stainless Steel Receptacle 8D series SCALE General linear NPRDS / PROJECT	
			NA Tolerances: ± 859 SOURIAU WWW.SOURIAU.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission	on
				неет 2/2
	H G	F E	D C B A	