
TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

(1)

ORIGINAL





MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


.X ±0.25 .XX ±0.13

.XXX ±0.05

 $\label{eq:signal_contact_current rating: 5A per contact} \\ \mbox{Signal_contact_resistance: 10m} Ω MAX. \\ \mbox{Insulator resistance: 5000M} Ω min. \\ \mbox{Dielectric} \\ \mbox{Withstanding voltage: 1000V AC rms} \\ \mbox{Ac rms} \\ \mbox{Insulator resistance: 5000V AC rms} \\ \mbox{$




			SW REFERENCE NO.: 630 COMBO ASSEMBLY						
COMBI				DRAWN: C.B		DATE: JAN. 01/2019			9
				CHECKED:		DATE:			
EDAC		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE:	(IN C.A.D. 1:	1)	SHEET	1	OF	4
		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 630-2W2-240-4NA				ISSUE		
YOUR CONNECTION TO QUALITY &	SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUN	/BER:	630-2W2-	240-4NA			1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female





ISSUE NUMBER

ORIGINAL

 $\overline{(1)}$


5W5 Male



PCB EDGE


8W8 Male





PCB EDGE

27W2 Male/Female




PCB EDGE

21W1 Male/Female





					SW REFERENCE NO.: 630 COMBO ASSEMBLY				
				DRAWN: C.B					
				CHECKED:		DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S		SHEET 3 O	= 4			
	TORONTO, ONTARIO CANADA		DRAWING NUMBER:	630-2W2-	-240-4NA	ISSUE			
YOUR CONNECTION TO	QUALITY & SERVICE		PART NUMBER:	630-2W2-	-240-4NA	1			





8W8 Female






11W1 Male/Female

17W2 Male/Female

CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





7W2 Male/Female

21W4 Male/Female

TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.
















13W3 Male





25W3 Male





 .X
 ±0.25

 .XX
 ±0.13

 .XXX
 ±0.05

9W4 Female



36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

13W6 Female

24.77

23.3

43W2 Female





17W5 Male












20.70

13.72


PCB EDGE



31.75

21.9

PCB EDGE



		SW REFERENCE NO.: 630 COMBO ASSEMBLY				
	COMBINATION D-	DRAWN: C.B	DATE: JAN. 01/201	19		
		CHECKED:	DATE:			
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDACINC	ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	SCALE: N.T.S	SHEET 4 OF	4	
	CANADA		DRAWING NUMBER: 630-2W2-	240-4NA	ISSUE	
			PART NUMBER: 630-2W2-	630-2W2-240-4NA		