1SNK910303R0000 - ACTIVE


ENTRELEC | ENTRELEC SNK

TE Internal #: 1SNK910303R0000 Terminal Block & Strip Conducting Accessories, Jumper Bar, 3 Pole, Orange, Product Spacing .394 in [10 mm], -67 – 230 °F [-55 – 110 °C], ENTRELEC SNK

View on TE.com >



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Conducting Accessories



Conducting Accessory Type: Jumper Bar

Number of Poles: 3

PCB Mount Retention Type: Screwless

Primary Product Color: Orange

Product Spacing: 10 mm [.394 in]

Features

Product Type Features

Conducting Accessory Type	Jumper Bar					
Configuration Features						
Number of Poles	3					
Electrical Characteristics						
Operating Voltage Rating (UL & CSA) (Max) - Main Circuit	600 V					
Impulse Withstanding Voltage Rating (IEC)	6000 V					
Voltage Rating (CSA)	600 V					
Current Rating (CSA)	67 A					
Short-Time Withstanding Current Rating @ 1s	1920 A					
Power Loss	2.4 W					
Dielectric Withstanding Voltage (Max)	2200 V					
Voltage Rating (IEC)	1000 V					
Current Rating (UL)	67 A					
Current Rating (IEC)	76 A					

C For support call+1 800 522 6752

Terminal Block & Strip Conducting Accessories, Jumper Bar, 3 Pole, Orange, Product Spacing .394 in [10 mm], -67 – 230 °F [-55 – 110 °C], ENTRELEC SNK



Body Features

Plastic & Resin Material Type	Polyamide					
Product Weight	7.1 g[.25 oz]					
Primary Product Color	Orange					
Contact Features						
Contact Current Rating (Max)	76 A					
Mechanical Attachment						
PCB Mount Retention Type	Screwless					
Dimensions						
Product Depth	31.5 mm[1.24 in]					
Product Width	10 mm[.394 in]					
Product Height	28 mm[1.102 in]					
Product Spacing	10 mm[.394 in]					
Usage Conditions						
Installation Temperature Range	-5-40 °C[23-104 °F]					
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]					
Industry Standarda						

Industry Standards

IP Rating

IP20

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC		
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free		
Solder Process Capability	Not reviewed for solder process capability		


Product Compliance Disclaimer

Terminal Block & Strip Conducting Accessories, Jumper Bar, 3 Pole, Orange, Product Spacing .394 in [10 mm], -67 – 230 °F [-55 – 110 °C], ENTRELEC SNK



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series | ENTRELEC SNK

Terminal Block & Strip Conducting Accessories, Jumper Bar, 3 Pole, Orange, Product Spacing .394 in [10 mm], -67 – 230 °F [-55 – 110 °C], ENTRELEC SNK





TE Part #1SNK910310R0000

Customers Also Bought



TE Part #1SNA399620R1100

ZK16-PE	JB10-10	D35/16.2L	D35/16.P.2L
TE Part #1SNA399621R0600 BJDL16-2	TE Part #1SNA360120R1000 DISPOSABLE PLOTTER PEN 0.25		

TE Part #1SNA399617R0200

Documents

TE Part #1SNK712150R0000

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK910303R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK910303R0000_A.3d_igs.zip

Terminal Block & Strip Conducting Accessories, Jumper Bar, 3 Pole, Orange, Product Spacing .394 in [10 mm], -67 – 230 °F [-55 – 110 °C], ENTRELEC SNK



English

Customer View Model ENG_CVM_CVM_1SNK910303R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

ENTRELEC Terminal Block - Master Catalog

ENTRELEC Terminal Block - Master Catalog

English

JB10-3

English

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)

Essential Entrelec Terminal Blocks

French

Essential Entrelec Terminal Blocks

English

Essential Entrelec Terminal Blocks

Japanese