



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL (1)





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/2019		
			CHECKED:	DATE:		
Y	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
			DRAWING NUMBER: 628-21W4622-5N1		ISSUE	
			PART NUMBER: 628-21W4	4622-5N1	1	






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED ORIGINAL DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female




21W1 Male/Female

10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$					
	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20)19	
				DATE:		
MS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4	
CTIVES LIANCY.	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-21W	4622-5N1	ISSUE	
LIAINUT.	YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMIS		PART NUMBER: 628-21W	4622-5N1	1	

5W5 Male

5W5 Female



47.00


23.63

CURRENT RATING / ØA


8W8 Male

8W8 Female


31.76



53.50



11W1 Male/Female



17W2 Male/Female

THIS SERIES FULLY CONFORMS THE EUROPEAN UNION DIRECTI 2011/65/EU FOR RoHS COMPLIAN COMPLIANT

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male









36W4 Female





13W3 Male

3


3











13W6 Male



43W2 Male





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20)19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAG INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.			DRAWING NUMBER: 628-21W	4622-5N1	ISSUE
			PART NUMBER: 628-21W	4622-5N1	1





