


ASSEMBLED VIEW



NOTES:

- 1) CORD GRIP RANGE: 10mm TO 14mm
- 2) CONTACT BARREL RANGE: 16AWG TO 18AWG
- 3) RECOMMENDED CRIMP TOOLS: HAND CRIMPER: MFX-3959 PNEUMATIC CRIMPER: MFX-3960
- 4) EXTRACTION TOOL: QXRT16
- 5) MATERIALS:

HOUSING BODY: ZINC DIE CAST, NICKEL PLATED

WAVE SPRING: STAINLESS STEEL
INSULATION INSERT: PA66, UL94/V-0
CONTACT: BRASS, GOLD FLASH PLATED
SEAL AND O-RING: SILICONE


- 6) ELECTRICAL DATA:
 - a) CURRENT (MAX): 13A
 - b) VOLTAGE (MAX): 500V AC/DC
 - c) INSULATION RESISTANCE (MIN): 5000M OHMS
 - d) TEST VOLTAGE (BETWEEN CONTACTS): 3050V

7) TECHNICAL DATA:

- a) TEMPERATURE RANGE: -40°C TO 105°C
- b) PROTECTION: IP67 (IP69K WHEN IN MATED CONDITION)
- c) MATING CYCLES: >500
- d) VIBRATION RESISTANCE PER MIL-STD-202 METHOD 204
- e) THERMAL SHOCK PER MIL-STD-202 METHOD 207
- f) 48 HOUR SALT SPRAY PER MIL-STD-202 METHOD 101
- 8) RoHS COMPLIANT

REVISIONS									
REV	ECO	DESCRIPTION	DATE	BY	APPR				
01	-	RELEASE NEW DWG FORMAT	-	-	-				
02	-	ADDED IP69K RATING	4/21/2020	RO	DR				
03	-	CHANGED VOLTAGE FROM 250V TO 500V	21JAN22	MRF	DR				

ILLUSTRATION: COMPLETE KIT



19	MP16M23F	CONTACT, PIN, SIZE 16	3	
1	RT0L-16CG-NS1	CORD GRIP	2	
1	RT061619PNH03SS	CONNECTOR	1	
QUANTITY	PART NUMBER	DESCRIPTION	ITEM	_
	2.4.0	TEDIALOLIOT		

QUANTITY PART NUMBER		DESCRIPTION				ITEM		
MATERIALS LIST								
UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 Fractions ±1/64		SIGNATURE	S DATE	Amphonol				
		DRAWN: MRF	21AUG18	Amphenol				
2 PL DEC ±0.15 3 PL DEC ±0.08	Angles ±1°	CHECKED:		Sin	ne Systems - www.ampl	henol-sine.com		
3) Note reference = X MATERIAL SPECIFICATIONS:		ENGINEER:		44724 Morley Drive Clinton Township, MI 48036				
		APPROVAL:				40030		
MATERIAL SPECIFICATIONS.		CUSTOMER:		KIT, ECO-MATE RM				
		THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES,						
PROCESS SPECIFICATIONS:		SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SID HET TO NORMAL		B C-	RT061619PI		02	
NEXT ASS'Y:		MANUFACTURING VARIATIONS.		SCALE: NONE		SHEET 1 OF	1	

KE VI UI OH

KIT, ECO-MATE RM