
**Mounting Option** .116 (2.95) I.D. Floating Eyelets **Contact Detail** 

Wire Hole .087x.013(2.21x0.33) - Tail LG=.282(7.16) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

0.343 [8.71]  $\frac{-0.156[3.96]}{3.128[79.45]}$ -3.274[83.16] -3.560 90.42



## SECTION A-A

.175 [4.45] Point of Contact (FROM BTM OF SLOT) Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board

**See Accompanying Pages for:** 

- **Contact Bend Details**
- **Mounting Options**

307 / 357 Card Edge Connector Part Number: 357-019-405-103



**EDAC INC** TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO.	307 ENG MASTER
DRAWN: J.LEE	DATE: AUG. 11/09
CHECKED:	DATE:
SCALE: NTS	SHEET 1 OF 3
DRAWING NUMBER	ISSUE
307 Assembly	1 1



