



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER	
ORIGINAL	(1)





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-47W	1224-2NB	ISSUE	
			PART NUMBER: 628-47W	1224-2NB	1	






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05






3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female




628-47W1224-2NB


		5 ¹⁰ - 277 ¹⁰ - 5 ¹⁰			ere ere
		11W1 Male/Female	27W2 Male/Femal	e	
47.06 23.83 14.48 14.48 14.49 90 90 90 90 90 90 90 90 90 9	8W8 Female			63.50 31.75 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
200.+ ∔39206+	19381 - <u>1</u> 2381	17W2 Male/Female	21W1 Male/Femal	e	
CURRENT RATING / 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	/ ØA	47.05 23.65 13.85 		47.05 23.63 4 5 5 5 5 5 5 5 5 5 5 5 5 5	æ
			SW REFERENCE NO.: 628 C	COMBO ASSEMBLY	
	COMBIN	ATION D-SUB	DRAWN: C.B	DATE: JAN. 01/20)19
			CHECKED:	DATE:	
IS SERIES FULLY CONFORMS TO	EDAC II	ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	SHEET 3 OF	4
E EUROPEAN UNION DIRECTIVES 11/65/EU FOR RoHS COMPLIANCY.		OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-47W	1224-2NB	ISSUE
	YOUR CONNECTION TO QUALITY & SE	ERVICE MANUFACTURE OR SALE OF APPARATUS	PART NUMBER: 628-47W	1224-2NB	1

5W5 Male


5W5 Female



8W8 Male



3.30



WITHOUT WRITTEN PERMISSION.

THIS THE 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25







25W3 Male









36W4 Female





13W3 Male



36W4 Male







13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	CANADA	SHALL NOT BE REPRODUCED OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-47W1224-2NB		ISSUE
			PART NUMBER: 628-47W	1224-2NB	1