


TOLERANCE UNLESS OTHERWISE SPECIFIED .X ±0.25 .XX ±0.13


.XXX ±0.05

Å



ISSUE NUMBER





NOTES:

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 5µ GOLD PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

				SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION	COMBINATION D-SUB		DATE: JAN. 01/2019				
			DATE:				
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4			
TORONTO, ONTARIO	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628W3WK3124-3N5		ISSUE			
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628W3WI	K3124-3N5	1			



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

ļ	. 0.30		\$.36		
				11W1	Male/Female
	8	8W8 Female			33.30
47.05	23.63 14.49 6 98 8 99 8 99 8 99 8 99 8 99 8 99 8 9				
	CURRENT RATING /	ФА		17W2	2 Male/Female
	10A / 2.2	ΨA			t= 47.05 =+
	20A / 3.3 30A / 3.7 40A / 4.2			1 1 2 B	
			COMBINA	ATION	D-SUB
EUROPE	FULLY CONFORMS TO CAN UNION DIRECTIVES OR RoHS COMPLIANCY.	YOUR CON	EDAC IN TORONTO, ON CANADA NNECTION TO QUALITY & SEF	NTARIO A	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

THIS SI THE EU 2011/65/EU FOR RoHS COMPLIANCY.


COMPLIANT

	SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	DRAWN: C.B	DATE: JAN. 01/2019		
CHECKED:		DATE:		
AND SPECIFICATIONS	SCALE: N.T.S	SHEET 3 OF 4		
RODUCED, OR COPIED ASIS FOR THE	DRAWING NUMBER: 628W3W	K3124-3N5 ISSUE		
SALE OF APPARATUS PERMISSION.	PART NUMBER: 628W3W	K3124-3N5 1		

5W5 Female

47.05

23.53





63.50

31.75

22.97

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male










36W4 Female



13W3 Male










30.50 20,70 16,62 13.72 15.24 6.74 2.77

13W6 Male



43W2 Male





.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female




43W2 Female

47W1 Female




17W5 Male


COMPLIANT











		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628W3W	K3124-3N5	ISSUE
			PART NUMBER: 628W3W	628W3WK3124-3N5	

