




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)

ORIGINAL





NOTES:

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	SW REFERENCE NO.: 629 COMBO ASSEMBLY			
COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019		
	CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 629W2W2	2-240-1NA	ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 629W2W2	2-240-1NA	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER $\overline{(1)}$ ORIGINAL



3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female

11W1 Male/Female


17W2 Male/Female

24W7 Male/Female

21W4 Male/Female




5W5 Male




PCB EDGE





PCB EDGE



POB EDGE

2.77 PCB EDGE


27W2 Male/Female


5W5 Female


COMPLIANT




8W8 Female








21W1 Male/Female




					SW REFERENCE NO.: 629 COMBO ASSEMBLY			
COM	COMBINATION D-SUB				DATE: JAN. 01/20	19		
				CHECKED:		DATE:		
	DAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S		SHEET 3 OF	4		
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 629W2W2-240-1NA		ISSUE			
YOUR CONNECTION TO QUALIT			PART NUMBER:	629W2W2	2-240-1NA	1		

CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7









 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25















13W3 Male





25W3 Male





24.77



31.75

36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

13W6 Female

13W3 Female

.XX ±0.13 .XXX ±0.05

43W2 Female




17W5 Male


COMPLIANT













20.70

13.72

PCB EDGE



PCB EDGE



				SW REFERENCE NO.: 629 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19			
			CHECKED:	DATE:			
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4		
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 629W2W2-240-1NA		ISSUE		
			PART NUMBER: 629W2W2-240-1NA		1		