Мо	unting Option	Contact Detail		THIS IS A C.A.D. GENERATED DRAWING		0 [ISSUE NUMBER		
In-Line Card Guides		PC Tail .046x.013(1.17x0.33) - Tail LG=.213(5.41) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing		DO NOT MAKE MANUAL REVISIONS TO MASTER.			ORIGINAL	1	
.156 [3.96] Contact Spacing x .2		200 [5.06] NOW Spacing							
							'		
1									
<u> </u>							CTION A-A	4	
		7			11				
£	0.156[3.9	_	_						
2.7			162.66]		─				
+	6.550[166.37]								
0.500[12.70]	-	6.836	173.63]		─				
							ПП		
	_								
	<u> </u>								
-									
	AUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUU					75 [4.45] Point of Conta	ict / !		
					(FI	ROM BTM OF SLOT)	/		
12.0					Card S	lot Accepts .054 [1.	.371		
3	to 070 I						ard	-	
0.473[12.01]	7.146[181.51]								
O			307 / 357 Card Edge Connector			ACAD REFERENCE N	10. 307 ENG N	MASTER	
See Accompanying Pages for:			Part Number: 357-040-425-178			DRAWN: J.LEE	DATE: AUG.	. 11/09	
					I	CHECKED:	DATE:		
			C INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: NTS	SHEET 1 (
		CANADA OR USI		SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER		ISSUE		
				MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	307 Assem	bly	1		



