

Specification Sheet

Part Number: 596-00739

Made with UV stable inks and materials for durability and weather resistance.

The labels are supplied with aggressive adhesive to ensure long life.

Solar Installation labels meet NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.

**CAUTION: DO NOT INSTALL
ADDITIONAL LOADS IN THIS PANEL**

Solar Label, CAUTION DO NOT INSTALL ADDITIONAL LOADS..., 5.0" x 1.25", VL, Red, 50/roll

Article Number 596-00739

Type DNALP

Color Red (RD)

Quantity Per roll

Product Description Many times common solar label designs are specified even though they might not be required by code. HellermannTyton offers a selection of some of the most commonly requested labels for use on solar installations.

Short Description Solar Label, CAUTION DO NOT INSTALL ADDITIONAL LOADS..., 5.0" x 1.25", VL, Red, 50/roll

Global Part Name DNALP-V-RD

Technical Description	Pre-Printed Solar Label, 5" X 1.25", Caution: Do Not Install Additional Loads In This Panel, Vinyl, Red, 50/RL
Width W (Imperial)	5.0
Width W (Metric)	127.0
Height H (Imperial)	1.25
Height H (Metric)	31.70
Material	Vinyl (V)
Material Shortcut	V
Adhesive	Acrylic
Halogen Free	No
Adhesive Operating Temperature	-40°F to +174°F (-40°C to +79°C)
Operating Temperature	-40°F to +174°F (-40°C to +79°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Warranty (US)	Yes

UL Recognized (US) Yes

Package Quantity (Imperial) 50

Package Quantity (Metric) 50

Customs Number 3919102055

Labels per Column 1

Labels per Row 1

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)