


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




**ISSUE NUMBER** 

(1)






100



## NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

				SW REFERENCE NO.: 627 COMBO ASSEMBLY				
	COMBINATION	DRAWN: C.B		DATE: JAN. 01/2019				
		CHECKED:		DATE:				
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C	C.A.D. 1:1)	SHEET	1 OF	4	
	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 627-3W3-622-2T1			ISSUE		
			PART NUMBER	: 627-3W3-	622-2T1		1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



2W2 / 2WK2

3W3 / 3WK3



7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female





21W1 Male/Female


16.5

1

5W5 Female		8W8 Fem	ale			
	47.06 	÷				
			1	7W2 Male/Female		
	CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	/ Ø <b>A</b>		47.00 23.03 13.05 13.05 13.05 13.05 13.05 13.05 13.05 13.05 13.05 13.05 13.05 15		
			COMBINATION D-SUB			
THE E	SERIES FULLY CONFORMS TO SUROPEAN UNION DIRECTIVES S5/EU FOR R0HS COMPLIANCY.		EDAC INC TORONTO, ONTAF YOUR CONNECTION TO QUALITY & SERVIC	OR USED AS THE BASIS FOR THE MANUEACTURE OR SALE OF APPARATUS		









627-3W3-622-2T1


PART NUMBER:

5W5 Male




8W8 Male






11W1 Male/Female







THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25



25W3 Female

36W4 Female



9W4 Male


23.53 14.51 9.70 집 역


25W3 Male



47.02 23.53 14.51 9.70 8 82 7.79 33









13W3 Male




36W4 Male





30.50 20.70 16.62 13.72 2.77

13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female






47W1 Female





17W5 Male


COMPLIANT











		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 627-3W3	-622-2T1	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627-3W3	-622-2T1	1