

4


3

2




1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
1		PROPOSAL DESIGN	29OCT2018	WY	SZ
2		UPDATE SIGNAL PIN HOLE FROM 1.02 TO 0.72	15NOV2018	WY	SZ
A		REVISED	10DEC2019	WY	SZ



- 1 "TE", PART NUMBER, AND DATECODE TO BE MARKED IN AREA SHOWN. PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES.
- 2 MATERIAL:  
HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, BLACK, UL94 V-O  
SIGNAL CONTACT - COPPER ALLOY  
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS.
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB - HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 7 PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 Cu PLATING TO ACHIEVE A .040 ±.003 HOLE.



20S + 6P	2334531-2
DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	29OCT2018	<b>STE</b> TE Connectivity	NAME RIGHT ANGLE HEADER, SOLDER MULTI-BEAM PLUS
DIMENSIONS: mm		CHK	29OCT2018		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±0.15 3 PLC ±0.05 4 PLC ±- ANGLES ±-		APVD	29OCT2018		
MATERIAL		PRODUCT SPEC	-		
FINISH		APPLICATION SPEC	-	SIZE	A3
-		WEIGHT	-	CAGE CODE	00779
-		CUSTOMER DRAWING	-	DRAWING NO	2334531-2
-		SCALE	1:1	SHEET	1 OF 2
-		RESTRICTED TO	-	REV	A

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20 BY -


ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

PART NUMBER	ROWS	SIGNLA				POWER								
		1	2	3	4	P1	P2	P3	P4	P5	P6			
2334531-2	E	P5	P5	P5	P5									
	D	P4	P4	P4	P4									
	C	P3	P3	P3	P3	TM	TN	TM	TN	TM	TN	TM	TN	
	B	P2	P2	P2	P2									
	A	P1	P1	P1	P1									

20S+6P




STD SOLDER TYPE SIGNAL CONTACT, ROW E	P5
STD SOLDER TYPE SIGNAL CONTACT, ROW D	P4
STD SOLDER TYPE SIGNAL CONTACT, ROW C	P3
STD SOLDER TYPE SIGNAL CONTACT, ROW B	P2
STD SOLDER TYPE SIGNAL CONTACT, ROW A	P1
STD SOLDER POWER CONTACT, RIGHT	TN
STD SOLDER POWER CONTACT, LEFT	TM
HOUSING	HOUSING
HOLD DOWN, MULTI-BEAM	HD
DESCRIPTION	IDENTIFIER

RECOMMENDED PCB LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ±-
	1 PLC ±-
	2 PLC ±0.15
	3 PLC ±0.05
	4 PLC ±-
	ANGLES ±-
MATERIAL	FINISH
- 2	- 3

DWN WY	29OCT2018
CHK WY	29OCT2018
APVD S7	29OCT2018
PRODUCT SPEC	-
APPLICATION SPEC	-
WEIGHT	-
CUSTOMER DRAWING	

 <b>TE Connectivity</b>		NAME	
		RIGHT ANGLE HEADER, SOLDER MULTI-BEAM PLUS	
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2334531-2	-
SCALE 1:1		SHEET 2 OF 2	REV A