



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.










## NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-13W3624-7T1		ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627-13W	3624-7T1	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



2W2 / 2WK2

3W3 / 3WK3



7W2 Male/Female





 $\overline{(1)}$ 

21W4 Male/Female



27W2 Male/Female




21W1 Male/Female

16.6

	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY		
COMBINATION			DATE: JAN. 01/20	19	
			DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE: N.T.S	SHEET 3 OF	4	
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-13W	3624-7T1	ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627-13W	3624-7T1	1	

5W5 Male


5W5 Female




47.05


23.53

8W8 Male





11W1 Male/Female



## 17W2 Male/Female


23.63 8.5


THIS SERIES F THE EUROPEA 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

FULLY CONFORMS TO	
AN UNION DIRECTIVES	

CURRENT RATING / ØA 10A / 2.2 20A / 3.3

> 30A / 3.7 40A / 4.2







THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.






9W4 Male



25W3 Male








36W4 Female




13W3 Male



36W4 Male







13W6 Male



43W2 Male





17W5 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female


47W1 Female





17W5 Male



47W1 Male







			SW REFERENCE NO .:	627 COMBO ASSEMBLY	BO ASSEMBLY	
	COMBINATION	D-SUB	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
RMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 4 OF	4	
ECTIVES PLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627	7-13W3624-7T1	ISSUE	
			PART NUMBER: 627	7-13W3624-7T1	1	



THIS SERIES FULLY CONFORM THE EUROPEAN UNION DIREC 2011/65/EU FOR RoHS COMPL