

| TOLERANCE UNLESS OTHERWISE SPECIFIED | | |
|--|-------|--|
| .X | ±0.25 | |
| .XX | ±0.13 | |
| .XXX | ±0.05 | |

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL





MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0

SHELL: STEEL, Sn or Ni PLATED

CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C



SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min.

DIELECTRIC

WITHSTANDING VOLTAGE: 1000V AC rms



COMBINATION D-SUB




EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC..AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

| | SW REFERENCE NO.: 630 | COMBO ASSEMBLY |
|--------------------------------------|------------------------|--------------------|
| | DRAWN: C.B | DATE: JAN. 01/2019 |
| | CHECKED: | DATE: |
| | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF 4 |
| DD 444110 44114 DED 000 04144040 4T4 | | //2/0 / 17/ |

630-21W4240-1T1 DRAWING NUMBER: ISSUE PART NUMBER: 630-21W4240-1T1



TOLERANCE UNLESS OTHERWISE SPECIFIED

.X ±0.25 .XX ±0.13

.XXX ±0.05

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER (1) **ORIGINAL**

(00)0 2W2

(OO) 0 2WK2

o(::0:

5W1

00000 3W3








000000 5W5






13W3













17W5









21W4









47W1

COMBINATION D-SUB



EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC..AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

| | DRAWN: C.B | | DATE: | JAN. | 01/20 | 19 |
|---|-----------------|---------|----------|------|-------|-------|
| | CHECKED: | | DATE: | | | |
| | SCALE: N.T.S | | SHEET | 2 | OF | 6 |
|) | DRAWING NUMBER: | 630-21W | 1240-1T1 | I | | ISSUE |

630-21W4240-1T1

630 COMBO ASSEMBLY

SW REFERENCE NO .:

PART NUMBER:

TOLERANCE
UNLESS OTHERWISE
SPECIFIED

.X ±0.25
.XX ±0.13

.XXX ±0.05

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER
ORIGINAL

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

24W7 Male/Female

21W4 Male/Female

27W2 Male/Female








PCB EDGE

PCB EDGE




5W5 Male

5W5 Female

23.63 16.49 16.49

8W8 Male



7W2 Male/Female







8W8 Female



11W1 Male/Female




17W2 Male/Female



CURRENT RATING / ØA

10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



COMBINATION D-SUB



EDAC INC
TORONTO, ONTARIO
CANADA
QUALITY & SERVICE

THESE DRAWINGS AND SPECIFICATIONS
ARE THE PROPERTY OF EDAC INC..AND
SHALL NOT BE REPRODUCED, OR COPIED
OR USED AS THE BASIS FOR THE
MANUFACTURE OR SALE OF APPARATUS
WITHOUT WRITTEN PERMISSION.


| SW REFERENCE NO.: 630 C | W REFERENCE NO.: 630 COMBO ASSEMBLY | | |
|----------------------------------|-------------------------------------|--|--|
| DRAWN: C.B | DATE: JAN. 01/2019 | | |
| CHECKED: | DATE: | | |
| SCALE: N.T.S | SHEET 3 OF 4 | | |
| BB 114/11/0 1/1 14/BBB 000 0414/ | 1040 474 | | |

PCB EDGE

 DRAWING NUMBER:
 630-21W4240-1T1
 ISSUE

 PART NUMBER:
 630-21W4240-1T1
 1

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR ROHS COMPLIANCY.





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. YOUR CONNECTION TO QUALITY & SERVICE

EDAC INC TORONTO, ONTARIO CANADA

COMBINATION D-SUB

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC..AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

| SCALE: N.T.S | SHEET 4 OF 4 |
|-----------------------|--------------------|
| CHECKED: | DATE: |
| DRAWN: C.B | DATE: JAN. 01/2019 |
| SW REFERENCE NO.: 630 | COMBO ASSEMBLY |

630-21W4240-1T1 DRAWING NUMBER: ISSUE PART NUMBER: 630-21W4240-1T1