© Copyri	al Composition D ght 2005. IPC, Bannoc nal and Pan-American	kburn, Illinois. A	.ll rights reserved u ntions.	nder both	This docume level parts, th	ent is a declar he declaration	ration of t n encomp	he substance asses all low	within the er level mat	manufactur erials for w	rer listed it hich the m	em. Not anufactu	te: if the ite urer has en	em is an ass igineering r	embly with low esponsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Ty http://www.ipc.org/IPC-175x Distribution				 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater 					eous Materi	ials and Mfg Information				
Supplier Information															
Company name*	Company un	Company unique ID			Unique ID Authority					Response Date*					
nsemi												2023-06-08			
Contact Name	Title - Conta	Title - Contact			Phone - Contact*					Email - Contact*					
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com					
uthorized Representative*	Title - Repres	Title - Representative			Phone - Representative*				Email - Representative*						
Product-Env-Stewards		Product Envi	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Requester Item Num	Requester Item Number Mfr Iter		n Number Mfr Item Name			Effective Da	ctive Date Version Manufacturing Sit		ring Site	V	Veight*	U	ОМ	Unit Type	
	NCP15 G	NCP152MX180280TC Dual 150 m. G Voltage Reg				2023-06-08		MY1				1.87		ıg	Each
Manufacturing Proccess	Information														
Terminal Plating / Gri	d Array Material	Terminal Base	Alloy J	-STD-020 MSL Rating		Peak Process Body T		dy Temperatu	nperature Max Time at Peak		Temperature Numbe		umber of R	eflow Cycl	es
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		L		260		C	30		seconds 3				
Comments															
evel 1 - maximum time at peak	temperature during s	oldering is 10-3	0 seconds												
or more information regarding	g material compositio	n please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed			
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth				
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of			
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted			
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all			
Exemption List Version	EL-2011/534/EU							
Declaration Signature								
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.								
Supplier Digital Signature Ra	stislav Drska	Le						

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.09	mg	Supplier	Silicon (Si)	7440-21-3		0.09	mg	
Die Attach	0.03	mg	Supplier	Silver (Ag)	7440-22-4		0.0225	mg	
			Supplier	Epoxy resins	129915-35-1		0.0075	mg	
Lead Frame	0.82	mg	Supplier	Silver (Ag)	7440-22-4		0.0328	mg	
			Supplier	Tin (Sn)	7440-31-5		0.0021	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0018	mg	
			Supplier	Chromium (Cr)	7440-47-3		0.0021	mg	
			Supplier	Copper (Cu)	7440-50-8		0.7813	mg	
Mold Compound-Black	0.88	mg		Epoxy resin	proprietary data		0.0616	mg	
			Supplier	Phenolic Resin	Proprietary Data		0.0616	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.132	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0044	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		0.6204	mg	
Plating	0.02	mg	Supplier	Tin (Sn)	7440-31-5		0.02	mg	
Wire Bond - Au	0.03	mg	Supplier	Gold (Au)	7440-57-5		0.03	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).